

Alphabetical price list 2018

Price List: effective 1st March 2018

Prices do not include V.A.T.

In view of Helios' continual endeavour to improve the quality of their products, any information herein may be subject to change without prior notice.

Sales are subject to our ,Terms and Conditions of Sale', a copy of which may be obtained from our main office or representatives. V.A.T. No.: 644327148

Alphabetical price list 2018



Ref. No.	Type	£ excl. V.A.T.
	ABV Air extract elements	
0452	ABV 100	35.00
	ACL Air quality controller	
0492	ACL	278.00
	ACSWEC Auto change over panel duty sharing	
S1499	ACSWEC	217.00
	AE Air extract elements	
2030	AE 30	21.00
2031	AE 45	21.00
2033	AE 75	21.00
2055	AE B 15/30	108.00
2035	AE GB 15/30	39.00
2036	AE GB 20/75	39.00
2038	AE GB 45/120	39.00
2044	AE GBE 15/30	104.00
2047	AE GBE 30/60	104.00
2048	AE GBE 45/120	104.00
2049	AE HYGRO 10/45	96.00
2053	AE HYGRO GBE 5/40/75	144.00
2054	AE HYGRO GBE 10/45/120	133.00
	- with filter and air flow adjustment	
9478	AE FV 125	44.00
	Sound-damping insert	
2059	AESD	8.00
2058	AESE	5.00
	AFS Automatic control panel	
6532	AFS 0-10 V	217.00
	AK Ancillary kit - 2 flanges, 2 feet, 2 flex and 4 AV mounts	
1975	AK 200	117.00
1976	AK 225	120.00
1977	AK 250	127.00
1978	AK 280	131.00
1979	AK 315	137.00
1980	AK 355	152.00
1981	AK 400	174.00
1982	AK 450	187.00
1983	AK 500	209.00
1984	AK 560	228.00
1985	AK 630	249.00
1986	AK 710	386.00
1987	AK 800	on request
1988	AK 900	on request
1989	AK 1000	on request
1990	AK 500/VAR	219.00
1991	AK 560/VAR	239.00
1992	AK 630/VAR	260.00

Ref. No.	Type	£ excl. V.A.T.	
	ALB Fresh air box - for ALB EC		
6808	ALB EC 125 EH	1022.00	NEW
6809	ALB EC 200 A EH	1228.00	NEW
6818	ALB EC 200 B EH	1284.00	NEW
6533	ALB EC 40/20 WW	2585.00	NEW
6534	ALB EC 50/30 WW	3166.00	NEW
6536	ALB EC 60/35 WW	4218.00	NEW
6537	ALB EC 80/50 WW	5492.00	NEW
	Control wire (for ALB WW) - 20, 40 m lang		
6816	ALB EC-SK 20	54.00	NEW
6817	ALB EC-SK 40	74.00	NEW
	Control wire (for ALB.. WW) - length: 30 m or 50 m		
2517	ALB-SK 30	35.00	
2518	ALB-SK 50	60.00	
7617	ALB-ÜS 40/20	57.00	NEW
7618	ALB-ÜS 80/50	115.00	NEW
7515	ALB-ÜS 220/4/50/30	65.00	
7516	ALB-ÜS 280/4/60/35	72.00	
	ALEF Air intake elements		
2100	ALEF 30	20.00	
2101	ALEF 45	24.00	
2056	ALEF Hygro 6/45	54.00	
	ALEFS - sound insulated		
2102	ALEFS 30	30.00	
2103	ALEFS 45	39.00	
2057	ALEFS Hygro 6/45	63.00	
	ALF Flexible ducting		
5711	ALF 80 for 10 m	48.00	
5712	ALF 100 for 10 m	50.00	
5713	ALF 125 for 10 m	55.00	
5757	ALF 160 for 10 m	77.00	
5715	ALF 200 for 10 m	89.00	
5716	ALF 250 for 10 m	111.00	
5717	ALF 315 for 10 m	149.00	
5758	ALF 355 for 10 m	226.00	
5759	ALF 400 for 10 m	305.00	
	AMD Medium-pressure fans Ø 450-630 mm		
	Prices of all types	on request	
	AMD / AMW Medium-pressure fans Ø 225-400 mm		
2267	AMD 315/2/2	999.00	
2266	AMD 315/4	797.00	
2277	AMD 355/2/2	1143.00	
2276	AMD 355/4	843.00	
2282	AMD 400/2/2	1291.00	
2281	AMD 400/4	1018.00	

Ref. No.	Type	£ excl. V.A.T.	
2243	AMW 225/2	711.00	
2242	AMW 225/4	606.00	
2249	AMW 250/2	758.00	
2248	AMW 250/4	697.00	
2255	AMW 280/2	843.00	
2254	AMW 280/4	811.00	
2265	AMW 315/4	884.00	
2275	AMW 355/4	939.00	
2280	AMW 400/4	1291.00	
	AS Spigot plate		
5224	AS 100	4.00	
	ASD Bell mouth + guard		
1388	ASD 200	48.00	
1413	ASD-SGD 225	80.00	
1414	ASD-SGD 250	83.00	
1415	ASD-SGD 280	88.00	
1416	ASD-SGD 315	92.00	
1417	ASD-SGD 355	97.00	
1418	ASD-SGD 400	101.00	
1419	ASD-SGD 450	105.00	
1420	ASD-SGD 500	118.00	
1421	ASD-SGD 560	129.00	
1422	ASD-SGD 630	143.00	
1423	ASD-SGD 710	197.00	
	AV External wall fan		
2654	AV 100	252.00	
2655	AV 125	263.00	
2656	AV 150	348.00	
2657	AV 200	358.00	
	AVD DK / RK Axial-high performance fans short inlet cone / short cased		
	Prices of all types	on request	
	BA.. Fire protection shutter		
2624	BAE 80	56.00	
2625	BAE 100	62.00	
2626	BAE 125	72.00	
2627	BAE 160	84.00	
2628	BAE 200	93.00	
	Fire protection shutter		
2620	BAK 100	128.00	
2621	BAK 125	148.00	
2622	BAK 160	166.00	
2623	BAK 200	187.00	
	Limit switch for BAE, BAK		
2585	BA-S	37.00	
	B-ALB Operating switch (accessory ALB.. EH)		
2734	B-ALB	188.00	
6819	B-ALB EC	237.00	NEW

Ref. No.	Type	£ excl. V.A.T.
BLS Fire damper stone		
2712	BLS 100/75-60	93.00
2766	BLS 100/100/75-60	108.00
2715	BLS 125/75-60	114.00
2767	BLS 150/75-60	133.00
2724	BLS 150/150/75-60	149.00
2718	BLS 160/75-60	149.00
2721	BLS 200/75-60	173.00
2727	BLS 200/100/75-60	144.00
2730	BLS 200/150/75-60	168.00
2733	BLS 300/150/75-60	207.00
BM Pipe clamp connectors		
5075	BM 100 (2 pcs.)	18.00
5076	BM 125 (2 pcs.)	20.00
5077	BM 160 (2 pcs.)	21.00
5078	BM 200 (2 pcs.)	25.00
5079	BM 250 (2 pcs.)	28.00
5080	BM 315 (2 pcs.)	34.00
BSX Reversing controller		
0240	BSX	70.00
BT.. Fire protection valve		
2633	BTK 100	137.00
2630	BTK 125	195.00
2631	BTK 160	256.00
2632	BTK 200	284.00
2634	BTV 100	62.00
2635	BTV 125	81.00
2636	BTV 160	93.00
2637	BTV 200	105.00
DB Electronic Interface with BMS Connection 1 ph, 230 V		
S975	DB 1	216.00
DDF Universal roof outlet colour: brick-red		
1964	DDF 125	55.00
1965	DDF 160	58.00
1966	DDF 200	116.00
1967	DDF 250	129.00
1968	DDF 315	143.00
1969	DDF 355	248.00
1970	DDF 400	255.00
colour: slate grey		
1848	DDF 125 G	55.00
1849	DDF 160 G	58.00
1850	DDF 200 G	116.00
1851	DDF 250 G	129.00
1852	DDF 315 G	143.00
1853	DDF 355 G	248.00
1854	DDF 400 G	255.00
DDS Differential pressure switch		
0445	DDS	110.00

Ref. No.	Type	£ excl. V.A.T.
DFR Flange		
1201	DFR 200	24.00
DH Roof hood ¹⁾		
2014	DH 100 R (brick-red)	64.00
2015	DH 100 S (black)	64.00
2016	DH 125 R (brick-red)	108.00
2017	DH 125 S (black)	108.00
2019	DH 160 S (black)	192.00
DIF Diffuser		
3551	DIF 280	94.00 NEW
3552	DIF 315	106.00 NEW
3553	DIF 355	119.00 NEW
3554	DIF 400	137.00 NEW
3555	DIF 450	151.00 NEW
3556	DIF 500	166.00 NEW
3565	DIF 560	208.00 NEW
3566	DIF 630	255.00 NEW
3567	DIF 710	309.00 NEW
DLV.. Design ventilation valve		
3039	DLV 100	28.00
3049	DLV 125	28.00
3040	DLVZ 100	28.00
DR Mounting kit for double glazing		
5114	DR 150	20.00
5115	DR 225	32.00
5116	DR 300	38.00
DRVM / DRVS Motorised backdraught shutter		
2575	DRVM 200	447.00
2591	DRVS 200	72.00
DS On/off reversing switch		
1351	DS 2	81.00
1267	DS 2/2	50.00
1306	DSEL 2	43.00
1611	DSEL 3	55.00
1598	DSZ	44.00
DSTS Flanged flexible connector		
1218	DSTS 200	48.00
2500	DSTS 200 Ex	55.00
DV EC EC-roof fans 1 ph, 230 V - Eco-version		
8320	DV EC 200 Eco	1059.00
8322	DV EC 250 Eco	1392.00
8324	DV EC 400 A Eco	1706.00
8326	DV EC 400 B Eco	1793.00
- Pro-version with integrated pressure control for constant volume flow		
8385	DV EC 200 Pro	1529.00
8386	DV EC 250 Pro	1804.00

Ref. No.	Type	£ excl. V.A.T.
8387	DV EC 400 A Pro	1706.00
8389	DV EC 400 B Pro	2186.00
DVS Automatic backdraught shutter with spring return		
1247	DVS 180	55.00
DWW Ceiling sweep fans		
8648	DWW 90	64.00
8649	DWW 140	64.00
EBR Mounting rings for MTV and KTV		
0952	EBR 75/80	4.00
0953	EBR 100	5.00
0954	EBR 125	5.00
0955	EBR 160	7.00
0956	EBR 200	7.00
EDTW Temperature controller		
1613	EDTW	355.00
EH Mounting sleeve		
2639	EH 100	11.00
2640	EH 125	17.00
2641	EH 160	21.00
2642	EH 200	27.00
EHR-K Electric heater battery for rectangular ducting, 3 ph. □		
8702	EHR-K 6/40/20	396.00
8703	EHR-K 15/40/20	710.00
8704	EHR-K 8/50/25-30	466.00
8705	EHR-K 24/50/25-30	884.00
8706	EHR-K 15/60/30-35	679.00
8707	EHR-K 30/60/30-35	946.00
EHS / EHSD Electronic temperature controller EHS		
5002	EHS	221.00
5003	EHSD 16	975.00
5004	EHSD 30	1210.00
EKA NV Circular In-Duct Electric Heater with Air Flow Sensor & Thyristor Control		
S902	EKA NV 100-0.6	231.00
S903	EKA NV 125-1.2	238.00
S904	EKA NV 160-1.0	264.00
S905	EKA NV 160-2.4	266.00
S906	EKA NV 200-2.4	269.00
S907	EKA NV 250-3.0	286.00
S908	EKA NV 315-6.0	366.00
S909	EKA NV 400-6.0	377.00
EKLF Spare filters		
8724	EKLF 40/20 G 4 (2 pcs.)	81.00
8635	EKLF 40/20 F 7 (2 pcs.)	105.00
8725	EKLF 50/25-30 G 4 (2 pcs.)	97.00
8636	EKLF 50/25-30 F 7 (2 pcs.)	128.00
8726	EKLF 60/30-35 G 4 (2 pcs.)	119.00
8637	EKLF 60/30-35 F 7 (2 pcs.)	155.00

¹⁾ Plates for flat/ridged roofs (FDP or UDP) and connectors (STV) to be ordered separately.

Ref. No.	Type	£ excl. V.A.T.
8727	EKLF 70/40 G 4 (2 pcs.)	131.00
8638	EKLF 70/40 F 7 (2 pcs.)	242.00
8673	EKLF 80/50 G 4 (2 pcs.)	146.00
8639	EKLF 80/50 F 7 (2 pcs.)	271.00
8674	EKLF 100/50 G 4 (2 pcs.)	165.00
8659	EKLF 100/50 F 7 (2 pcs.)	315.00
ELF.. Spare filters – for air filters LF..		
0737	ELF 200 (5 pcs.)	20.00
0738	ELF 250 (5 pcs.)	21.00
0739	ELF 315 (5 pcs.)	28.00
0740	ELF 355 (5 pcs.)	29.00
0741	ELF 400 (5 pcs.)	34.00
0742	ELF 500 (5 pcs.)	37.00
– for exhaust air element AE FV		
0129	ELF-AE FV 125 (2 pcs.)	11.00
– for fresh air box ALB		
6767	ELF-ALB 40/20 F7	276.00 NEW
7619	ELF-ALB 40/20 G4	121.00 NEW
6766	ELF-ALB 40/20 M5	168.00 NEW
6815	ELF-ALB 80/50 F7	507.00 NEW
6768	ELF-ALB 80/50 G4	253.00 NEW
6769	ELF-ALB 80/50 M5	321.00 NEW
– for AbluVent ABV		
6906	ELF/ABV (5 pcs.)	5.00
– for fresh air box ALB		
2705	ELF-ALB 125 M 5 (3 pcs.)	53.00
2706	ELF-ALB 125 F 7 (3 pcs.)	66.00
2704	ELF-ALB 125 G 4 (3 pcs.)	48.00
2708	ELF-ALB 200 M 5 (3 pcs.)	58.00
2709	ELF-ALB 200 F 7 (3 pcs.)	77.00
2707	ELF-ALB 200 G 4 (3 pcs.)	53.00
3647	ELF-ALB 220/4/50/30 M 5	172.00
3648	ELF-ALB 220/4/50/30 F 7	188.00
3646	ELF-ALB 220/4/50/30 G 4	143.00
3650	ELF-ALB 280/4/60/35 M 5	120.00
3654	ELF-ALB 280/4/60/35 F 7	251.00
3649	ELF-ALB 280/4/60/35 G 4	106.00
2764	ELF-ALB 315 M 5 (3 pcs.)	221.00
2760	ELF-ALB 315 F 7 (3 pcs.)	295.00
2763	ELF-ALB 315 G 4 (3 pcs.)	254.00
2768	ELF-ALB 355 M 5 (3 pcs.)	300.00
2769	ELF-ALB 355 F 7 (3 pcs.)	348.00
2765	ELF-ALB 355 G 4 (3 pcs.)	260.00
ELFBR – for in-line air filter boxes LFBR		
8585	ELFBR 100 G 4 (5 pcs.)	36.00
8300	ELFBR 100 F7 (2 pcs.)	111.00
8586	ELFBR 125 G 4 (5 pcs.)	38.00
8301	ELFBR 125 F7 (2 pcs.)	117.00
8587	ELFBR 160 G 4 (5 pcs.)	41.00
8302	ELFBR 160 F7 (2 pcs.)	125.00
8588	ELFBR 200 G 4 (5 pcs.)	43.00
8303	ELFBR 200 F7 (2 pcs.)	143.00
8589	ELFBR 250 G 4 (5 pcs.)	44.00
8304	ELFBR 250 F7 (2 pcs.)	171.00

Ref. No.	Type	£ excl. V.A.T.
8590	ELFBR 315 G 4 (5 pcs.)	55.00
8305	ELFBR 315 F7 (2 pcs.)	184.00
8592	ELFBR 355 G 4 (5 pcs.)	58.00
8306	ELFBR 355 F7 (2 pcs.)	219.00
8591	ELFBR 400 G 4 (5 pcs.)	60.00
8307	ELFBR 400 F7 (2 pcs.)	228.00
ELF.. Spare filters – for floor grille FRS-BGS		
3914	ELF-BGS (2 pcs.)	7.00
– for ELS fan unit		
8190	ELF/ELS (2 pcs.)	21.00
0587	ELF/ELSD (2 pcs.)	17.00
0939	ELF/ELSN (5 pcs.)	4.00
– for design ventilation valves		
3042	ELF-DLV 100 (5 pcs.)	9.00
3058	ELF-DLV 125 (5 pcs.)	11.00
3043	ELF-DLVZ 100 (3 pcs.)	22.00
– for outside-air-intake LEWT-A		
2975	ELF-LEWT-A (3 pcs.)	41.00
– for brine-to-air heat exchanger SEWT-W		
2568	ELF-SEWT-F (3 pcs.)	30.00
– for VFE		
2554	ELF-VFE (2 pcs.)	43.00
– for wall grille FRS-WGS		
3915	ELF-WGS (5 pcs.)	7.00
– for ELS-ZS		
0557	ELF-ZS (5 pcs.)	5.00
ELF-KWL Spare filters – for KWL EC 45 2 pcs. G3		
3069	ELF-KWL 45/3/3	11.00
– for KWL EC 60 2 pcs. G4 or 2 pcs. F7*		
9445	ELF-KWL 60/4/4	24.00
9446	ELF-KWL 60/7/7*	34.00
Spare filters for ceiling units KWL EC 220/700/1400/2000 D 2 pcs. G4 or 1 pc. F7, M5		
9638	ELF-KWL 220 D/4/4	24.00
9639	ELF-KWL 220 D/7	44.00
4239	ELF-KWL 340 D/4/4	28.00
4240	ELF-KWL 340 D/7	62.00
4189	ELF-KWL 700 D/5	55.00
4191	ELF-KWL 700 D/7	87.00
4193	ELF-KWL 1400 D/5	78.00
4195	ELF-KWL 1400 D/7	113.00
4197	ELF-KWL 2000 D/5	87.00
4204	ELF-KWL 2000 D/7	132.00
Spare filters for vertical units KWL EC 800/1200/1800/2600 S 1 pcs. F5 or 1 pc. F7		
8256	ELF-KWL 800 S/5 VDI	72.00
8257	ELF-KWL 800 S/7 VDI	135.00

Ref. No.	Type	£ excl. V.A.T.
8347	ELF-KWL 1200 S/5	92.00
8348	ELF-KWL 1200 S/7	153.00
8258	ELF-KWL 1800 S/5 VDI	92.00
8259	ELF-KWL 1800 S/7 VDI	141.00
8308	ELF-KWL 2600 S/5 VDI	135.00
8325	ELF-KWL 2600 S/7 VDI	204.00
8337	ELF-KWL 2600 S/5	133.00
8338	ELF-KWL 2600 S/7	199.00
– for KWL 230 Roto..		
0049	ELF-KWL 230 F7 (2 pcs. F7)	86.00
– for KWL EC 200.. and KWL EC 300 2 pcs. G4 or 1 pc. F7*		
0021	ELF-KWL 200/300/4/4	21.00
0038	ELF-KWL 200/300/7*	47.00
– for KWL EC 300 2 pcs. G4 and 1 pc. F7		
0020	ELF-KWL 300/4/4/7	70.00
– for KWL EC 270 and 370 2 pcs. G4 or 1 pc. F7*		
9613	ELF-KWL 270/370/4/4	36.00
9614	ELF-KWL 270/370/7	51.00
– for Bypass of the KWL EC 270, 370 units 2 pcs. G4 or 1 pc. F7*		
9617	ELF-KWL 270/370/4/4 BP	34.00
9618	ELF-KWL 270/370/7 BP*	56.00
– for KWL EC 500 2 pcs. G4 or 1 pc. F7*		
0039	ELF-KWL 500/4/4	24.00
0042	ELF-KWL 500/7*	86.00
ELFZ.. Spare filters – for air intake unit		
0338	ELF/ZLE 100 (10 pcs.)	17.00
0339	ELFZ 80 (10 pcs.)	13.00
0340	ELFZ 100 (10 pcs.)	17.00
0341	ELFZ 160 (10 pcs.)	17.00
ELS-D Fire damper		
0270	ELS-D 100	153.00
0185	ELS-D 125	186.00
0186	ELS-D 140	225.00
0187	ELS-D 160	246.00
0188	ELS-D 180	279.00
0271	ELS-D 200	303.00
ELS Mono tube ventilation system Spacer frame		
8193	ELS-AGR	5.00
Adaption kit for discharge to the back		
8185	ELS-ARS	8.00
Surface mounted casing		
8127	ELS-GAP	32.00
8128	ELS-GAPB	43.00

Ref. No.	Type	£ excl. V.A.T.
	Flush mounted casing – for one or two room ventilation, without fire protection	
8111	ELS-GU	29.00
8114	ELS-GUBA	55.00
	– for one room ventilation, with fire protection encasement	
8112	ELS-GUB	55.00
8113	ELS-GUBR	63.00
	– for two room ventilation, with fire protection encasement	
8116	ELS-GUBRZL	99.00
8118	ELS-GUBRZR	99.00
8115	ELS-GUBZL	90.00
8117	ELS-GUBZR	90.00
	Mounting holder	
8188	ELS-MB	5.00
	Universal mounting bracket	
8187	ELS-MHU	13.00
	Plasterboard cover	
8194	ELS-PB	7.00
	Plasterboard adapter	
8189	ELS-VA	5.00
	Fan unit – with 60 m³/h	
8131	ELS-V 60	97.00
8161	ELS-VF 60	226.00
8137	ELS-VN 60	108.00
8143	ELS-VNC 60	129.00
8149	ELS-VP 60	155.00
	– with 60/35 m³/h	
8133	ELS-V 60/35	103.00
8163	ELS-VF 60/35	233.00
8139	ELS-VN 60/35	118.00
	– with 100 m³/h	
8132	ELS-V 100	97.00
8138	ELS-VN 100	108.00
8144	ELS-VNC 100	129.00
8150	ELS-VP 100	155.00
	– with 100/60 m³/h and 100/60/35 m³/h	
8136	ELS-V 100/60/35	124.00
8166	ELS-VF 100/60/35	255.00
8141	ELS-VN 100/60	118.00
	Toilet extraction kit	
8191	ELS-WCS	18.00
	Second room spigot	
8184	ELS-ZAS	8.00
	Second room kit	
8186	ELS-ZS	50.00

Ref. No.	Type	£ excl. V.A.T.
	ELS EC please Check the Headlines – standard	
6427	ELS EC 60	138.00 NEW
6428	ELS EC 60/35	145.00 NEW
6359	ELS EC 60/40/15	167.00 NEW
6358	ELS EC 60/45/25	167.00 NEW
6417	ELS EC 100	138.00 NEW
6420	ELS EC 100/35	169.00 NEW
6418	ELS EC 100/60	169.00 NEW
6419	ELS EC 100/60/35	167.00 NEW
	– codable overrun	
6402	ELS EC 60 NC	152.00 NEW
6403	ELS EC 60/35 NC	155.00 NEW
6356	ELS EC 60/40/15 NC	195.00 NEW
6355	ELS EC 60/45/25 NC	195.00 NEW
6398	ELS EC 100 NC	171.00 NEW
6401	ELS EC 100/35 NC	196.00 NEW
6399	ELS EC 100/60 NC	196.00 NEW
6400	ELS EC 100/60/35 NC	239.00 NEW
	– presence detector	
6415	ELS EC 60 P	241.00 NEW
6416	ELS EC 60/35 P	245.00 NEW
6410	ELS EC 100 P	249.00 NEW
6414	ELS EC 100/35 P	249.00 NEW
6412	ELS EC 100/60 P	251.00 NEW
6413	ELS EC 100/60/35 P	280.00 NEW
	– electronic humidity sensor	
6408	ELS EC 60 F	268.00 NEW
6409	ELS EC 60/35 F	273.00 NEW
6374	ELS EC 60/40/15 F	256.00 NEW
6365	ELS EC 60/45/25 F	256.00 NEW
6404	ELS EC 100 F	241.00 NEW
6407	ELS EC 100/35 F	257.00 NEW
6405	ELS EC 100/60 F	257.00 NEW
6406	ELS EC 100/60/35 F	288.00 NEW
	ESA Electronic speed controllers 1 ph, 230 V	
0238	ESA 1 (surface mounted)	58.00
0239	ESA 3 (surface mounted)	62.00
1299	ESA 5 (surface mounted)	202.00
7806	ESA 3 i	77.00
7807	ESA 6 i	114.00
7808	ESA 10 i	242.00
	ESD Electronic speed controllers 3 ph, 400 V	
0501	ESD 5	649.00
0502	ESD 11,5	755.00
	ESE Electronic speed controllers 1 ph, 230 V	
1302	ESE 2,5	106.00
	EST Electronic thermostat (accessories for KTR..)	
1355	EST	523.00
	ETS Cross talk attenuator	
4521	ETS 100	28.00
4522	ETS 125	32.00

Ref. No.	Type	£ excl. V.A.T.
	ETW Electronic transformer controller – for 1 ph, 230 V	
1263	ETW 5	395.00
1264	ETW 10	520.00
	EUR Electronic control system 1 ph, 230 V	
1321	EUR 6 C	531.00
1347	EUR EC	429.00
	EVK Electric shutters	
0453	EVK 100	36.00
0251	EVK 150	44.00
0774	EVK 200	169.00
0775	EVK 250	179.00
0776	EVK 315	186.00
0777	EVK 355	226.00
0778	EVK 400	242.00
0779	EVK 450	275.00
0780	EVK 500	289.00
0781	EVK 630	476.00
0784	EVK 710	519.00
	F Adaption plate F for square shutters to circular ductings/fans	
0804	F 200	18.00
0805	F 250	20.00
0807	F 315	24.00
0808	F 355	25.00
0809	F 400	25.00
0810	F 450	33.00
0811	F 500	35.00
0257	F 560/630	43.00
0813	F 630 HQ..	117.00
0826	F 630 HW..	117.00
0824	F 710 HQ	127.00
0825	F 710 DK	131.00
	F.. Flat duct system made from polymer	
0626	FB	5.00
	Bend	
0629	FBH 90	5.00
0632	FBO	7.00
0630	FBV 90	5.00
	End piece with connection from O to □	
0621	FE 100 Ø 100 mm	17.00
0622	FE 125 Ø 125 mm	21.00
	Flat duct without sleeve, 1m	
0624	FOM	13.00
	Flat duct T-piece	
0631	FTS	14.00
	90°-bend adapter from O to □ with one tube and 2 clamps	
0627	FU 90/100	18.00
0638	FU 90/125	21.00

Ref. No.	Type	£ excl. V.A.T.
	Adapter from O to □	
0628	FUE 100	11.00
0639	FUE 125	11.00
	Flat duct connector	
0625	FV	5.00
	FAP Flange connecting plate	
	Price of all types	on request
	FDH Roof outlets	
1477	FDH	70.00
	FDP Flat roof tile (for roof hood DH)	
2024	FDP 100	69.00
2013	FDP 125	69.00
2025	FDP 160	110.00
	FDS Purlin box	
1377	FDS 180 (with hinge mechanism)	195.00
1378	FDS 200 (with hinge mechanism)	228.00
1378	FDS 225 (with hinge mechanism)	228.00
1379	FDS 250 (with hinge mechanism)	275.00
1379	FDS 315 (with hinge mechanism)	275.00
1380	FDS 400 (with hinge mechanism)	306.00
1381	FDS 450 (with hinge mechanism)	347.00
1382	FDS 500	416.00
1382	FDS 560/630	416.00
6658	FDS 710	679.00
	FES Window kit	
0462	FES 90	17.00
0463	FES 150	43.00
	FK.. Flat duct system made from galvanised steel 150 and 200 mm x 50 mm respectively	
2905	FK 150	32.00
2906	FK 200	36.00
	Mounting bracket	
2907	FK-B 150	2.00
2908	FK-B 200	3.00
	Floor grille with casing	
2986	FK-BA 150	152.00
	Bend, horizontal - 90°	
2909	FK-BH 150/90	32.00
2911	FK-BH 200/90	35.00
	- 45°	
2910	FK-BH 150/45	28.00
2912	FK-BH 200/45	28.00
	Bend, vertical - 90°	
2919	FK-BV 150/90	30.00
2920	FK-BV 200/90	35.00

Ref. No.	Type	£ excl. V.A.T.
	- 45°	
2917	FK-BV 150/45	26.00
2918	FK-BV 200/45	28.00
	End cover	
2943	FK-ED 150	9.00
2944	FK-ED 200	11.00
	End piece - for duct connector	
2934	FK-ER 150/100	39.00
2935	FK-ER 150/125	41.00
2936	FK-ER 200/160	45.00
	- for valve connector	
2937	FK-EV 150/100	39.00
2938	FK-EV 150/125	41.00
2939	FK-EV 200/100	41.00
2940	FK-EV 200/125	41.00
	Reducer - asymmetrical	
2933	FK-RA 200/150	22.00
	- symmetrical	
2932	FK-RS 200/150	26.00
	Access opening piece	
2930	FK-RZ 150	84.00
2931	FK-RZ 200	92.00
	Exhaust box	
2945	FK-SD 150	219.00
2946	FK-SD 200	279.00
	T-pieces	
2921	FK-T 150/150/150	39.00
2923	FK-T 150/150/200	42.00
2922	FK-T 200/200/200	42.00
2926	FK-T 150/200/150	42.00
2924	FK-T 150/200/200	44.00
2925	FK-T 200/150/200	44.00
	Adapter from O to □	
2948	FK-Ü 75/150	45.00
2996	FK-Ü 100/150	55.00
2997	FK-Ü 100/200	58.00
2998	FK-Ü 125/200	55.00
	Flat duct connector	
2941	FK-V 150	8.00
2942	FK-V 200	17.00
	Distribution box	
2987	FK-VK	184.00
	Roof-/Wall outlet	
9351	FK-WA 200 AL (aluminium)	32.00
9350	FK-WA 200 W (white)	35.00
	Y branch	
2927	FK-Y 150/150/150	54.00
2929	FK-Y 200/150/150	55.00
	Additional spigot for junction box	
2947	FK-ZS	4.00

Ref. No.	Type	£ excl. V.A.T.
	FM Flexible sleeve	
1681	FM 100	9.00
1682	FM 125	11.00
1683	FM 150	11.00
1684	FM 160	11.00
1685	FM 180 Ex	24.00
1670	FM 200	13.00
1686	FM 200 Ex	25.00
1654	FM 200 T120	24.00
1671	FM 225	17.00
1687	FM 225 Ex	28.00
1672	FM 250	18.00
1688	FM 250 Ex	28.00
1655	FM 250 T120	28.00
1673	FM 280	20.00
1689	FM 280 Ex	34.00
1656	FM 280 T120	32.00
1674	FM 315	21.00
1690	FM 315 Ex	34.00
1660	FM 315 T120	37.00
1675	FM 355	24.00
1691	FM 355 Ex	37.00
1658	FM 355 T120	41.00
1676	FM 400	25.00
1692	FM 400 Ex	39.00
1659	FM 400 T120	45.00
1677	FM 450	29.00
1693	FM 450 Ex	42.00
1678	FM 500	32.00
1694	FM 500 Ex	48.00
1679	FM 560	33.00
1695	FM 560 Ex	51.00
1680	FM 630	36.00
1696	FM 630 Ex	54.00
1666	FM 710	58.00
	FR Flange	
1200	FR 180	21.00
1202	FR 200	21.00
1201	FR 225	24.00
1203	FR 250	24.00
1214	FR 280	25.00
1204	FR 315	25.00
1205	FR 355	32.00
1206	FR 400	34.00
1207	FR 450	36.00
1208	FR 500	39.00
1209	FR 560	42.00
1211	FR 630	44.00
1212	FR 710	63.00
1198	FR 800	on request
1199	FR 900	on request
1210	FR 1000	on request
	FR Operation switch	
0998	FR 22/30	85.00

Ref. No.	Type	£ excl. V.A.T.
	FRS FlexPipe® Flexible ducting system Ø 63 mm Elbow 90°	
9348	FRS-B 63	22.00
	– as adaptor from 1 x 75 to 2 x 63 mm	
9341	FRS-B 75/2-63	49.00
	Floor outlet with grille	
9991	FRS-BKGS 2-63	105.00
	Ceiling outlet for valves DN 125	
9430	FRS-DKV 2-63/125	28.00
	Seal ring	
9331	FRS-DR 63 (10 pcs.)	14.00
	Flexible ventilating tube	
9327	FRS-R 63 (50 m)	192.00
	Cover plate	
9330	FRS-VD 63 (10 pcs.)	13.00
	Distribution box	
9355	FRS-VK 6-63/125	197.00
9336	FRS-VK 12-63/160	195.00
9364	FRS-VK 18-63/180	251.00
	Connection sleeve	
9329	FRS-VM 63	3.00
	Grille with elbow box, 90° incl. wall outlet	
9995	FRS-WBS 2-63	76.00
	Grille with box incl. wall outlet	
9993	FRS-WDS 2-63	86.00
	FRS FlexPipe® Plus Flexible ducting system Round Ø 75 mm in combination with Oval 51x114 mm Elbow 90°	
2994	FRS-B 75 round	21.00
	Floor grille kit for Multi-floor outlet	
3878	FRS-BGS 1 oval	96.00
	Elbow, horizontal	
3863	FRS-BH 51 oval	8.00
	Floor outlet with grille	
9992	FRS-BKGS 2-75 round	105.00
	Fastening clip	
3869	FRS-BS	12.00
	Elbow, vertical	
3859	FRS-BV 51 oval	8.00
	Seal Ring	
3864	FRS-DR 51 (10 pcs.) oval	12.00
2916	FRS-DR 75 (10 pcs.) round	17.00
	Ceiling/wall outlet Valve connection DN 125	
3858	FRS-DWK 2-51/125 oval	24.00
3857	FRS-DWK 2-75/125 round	24.00

Ref. No.	Type	£ excl. V.A.T.
	Single spigot	
3851	FRS-ES 51 oval	5.00
3852	FRS-ES 75 round	5.00
	Clip	
3854	FRS-FK (10 pcs.)	5.00
	Fold-distribution box	
3845	FRS-FVK 6-75/125 round	163.00
	Combined distribution box	
3874	FRS-KVK 6-75/125 R	185.00
3873	FRS-KVK 6-75/125 L	185.00
	Multi-floor outlet	
3872	FRS-MBK 2-75 round	48.00
	Multi-distribution box	
3841	FRS-MVK 4+1-51/125 oval	172.00
3843	FRS-MVK 4+1-75/125 round	172.00
3838	FRS-MVK 5+2-51/160 oval	190.00
3836	FRS-MVK 5+2-75/160 round	169.00
	Flexible ventilating tube	
3850	FRS-R 51 (20 m) oval	164.00
2913	FRS-R 75 (50 m) round	192.00
	FlexPipe first fix set Ø 75 mm	
9397	FRS-RP 75 round	1613.00
	Adaptor, straight oval to round	
3861	FRS-ÜG 51-75	8.00
	Adaptor, vertical oval to round	
3860	FRS-ÜV 51-75	8.00
	Cover plate	
3866	FRS-VD 51 (10 pcs.) oval	11.00
2915	FRS-VD 75 (10 pcs.) round	20.00
3865	FRS-VD 125	5.00
	Bayonet catch cap	
3853	FRS-VDB	2.00
	Spigot cap with seal ring Price 1 pc..	
3856	FRS-VDS 51 oval	21.00
3855	FRS-VDS 75 round	21.00
	Distribution box	
3846	FRS-VK 6-75/125 round	183.00
3849	FRS-VK 10-51/160 oval	173.00
3847	FRS-VK 10-75/160 round	173.00
3848	FRS-VK 15-75/180 round	224.00
	Connection sleeve	
3862	FRS-VM 51 oval	6.00
2914	FRS-VM 75 round	3.00
	Extension for FRS-DWK.../125 with ceiling /wall thickness > 240 mm	
3906	FRS-VV 125	13.00
	Wall-/floor outlet	
3877	FRS-WBK 2-51	45.00

Ref. No.	Type	£ excl. V.A.T.
	Grille with elbow box, 90° incl. wall outlet	
9996	FRS-WBS 2-75 round	92.00
	Wall mounting kit incl. wall outlet	
9994	FRS-WDS 2-75 round	86.00
	Wall grille for wall-/floor outlet FRS-WBK 2-51 – coated in signal white	
3881	FRS-WGS 1	49.00
3882	FRS-WGS 2	62.00
3883	FRS-WGS 3	65.00
	– high grade steel	
3886	FRS-WGS 1 E	55.00
3892	FRS-WGS 2 E	67.00
3904	FRS-WGS 3 E	70.00
	Wall mounting kit for valve connection DN 100/125	
9622	FRS-WDV 2-75/125 round	53.00
9621	FRS-WDV 2-75/100 round	53.00
	FSD Flexible circular attenuator	
0676	FSD 100	53.00
0677	FSD 125	54.00
0678	FSD 160	65.00
0679	FSD 200	80.00
0680	FSD 250	100.00
0681	FSD 315	119.00
0682	FSD 355	123.00
0683	FSD 400	149.00
	FSK Circular spigot	
0831	FSK 30/15 (2 pcs.)	63.00
0832	FSK 40/20 (2 pcs.)	70.00
0833	FSK 50/25 (2 pcs.)	80.00
0837	FSK 50/30 (2 pcs.)	85.00
0834	FSK 60/30 (2 pcs.)	90.00
0835	FSK 60/35 (2 pcs.)	93.00
0840	FSK 70/40 (2 pcs.)	98.00
0842	FSK 80/50 (2 pcs.)	127.00
0843	FSK 100/50 (2 pcs.)	153.00
	G Fixed grille	
0796	G 100	6.00
0782	G 100 B (brown)	7.00
0828	G 100 VE (12 pcs.)	97.00
0893	G 160	11.00
0255	G 200	28.00
0256	G 250	35.00
0798	G 315	36.00
0799	G 355	37.00
0800	G 400	39.00
0801	G 500	64.00
	GB.. / GB.. T120 Centrifugal fan GigaBox, Types ..T120 for air flow temperature up to max. 120 °C 3 ph, 400 V	
5512	GBD 355/4/4	661.00
5771	GBD 355/4/4 T120	928.00

Ref. No.	Type	£ excl. V.A.T.
5514	GBD 400/4/4	778.00
5773	GBD 400/4/4 T120	1143.00
5516	GBD 450/4/4	830.00
5775	GBD 450/4/4 T120	1257.00
5518	GBD 500/4/4	1026.00
5777	GBD 500/4/4 T120	1322.00
5521	GBD 560/4/4	1091.00
5778	GBD 560/4/4 T120	1665.00
5522	GBD 560/6/6	1257.00
5779	GBD 630/4 T120	1841.00
5523	GBD 630/4/4	1511.00
5524	GBD 630/6/6	1453.00
5529	GBD 710/4	2065.00
5756	GBD 710/4 T120	2373.00
5525	GBD 710/6/6	2008.00
1 ph, 230 V		
5509	GBW 250/4	453.00
5510	GBW 315/4	512.00
5511	GBW 355/4	635.00
5770	GBW 355/4 T120	939.00
5513	GBW 400/4	797.00
5772	GBW 400/4 T120	1169.00
5515	GBW 450/4	834.00
5774	GBW 450/4 T120	1295.00
5517	GBW 500/4	1152.00
5776	GBW 500/4 T120	1511.00
5508	GBW 560/4	1199.00
GB-AP Acoustic Enclosure to suit GigaBox for Axial Discharge as Standard		
S976	GB-AP 250	238.00
S977	GB-AP 315/355	320.00
S973	GB-AP 40/45/500	333.00
S974	GB-AP 560/630	395.00
Also available for 90° discharge on request		
GB EC GigaBox EC-Centrifugal fan 3 ph, 400 V		
5812	GBD EC 450	1179.00
5818	GBD EC 500 A	1352.00
5813	GBD EC 500 B	1623.00
5814	GBD EC 560	1969.00
5815	GBD EC 630	2271.00
5816	GBD EC 710 A	2418.00
5819	GBD EC 710 B	2623.00
3 ph, 400 V		
6452	GBD EC 355 T120	1674.00 NEW
6454	GBD EC 400 T120	2173.00 NEW
6476	GBD EC 450 T120	2275.00 NEW
6477	GBD EC 500 A T120	2634.00 NEW
6480	GBD EC 500 B T120	on request NEW
6481	GBD EC 560 T120	2957.00 NEW
6485	GBD EC 630 T120	3544.00 NEW
6488	GBD EC 710 T120	on request NEW
1 ph, 230 V		
5807	GBW EC 250	811.00
5808	GBW EC 315	834.00
6370	GBW EC 315 A T120	on request NEW
5809	GBW EC 355	982.00
6372	GBW EC 355 T120	1719.00 NEW

Ref. No.	Type	Motor power kW	£ excl. V.A.T.
5817	GBW EC 400 A		1137.00
5810	GBW EC 400 B		1194.00
6453	GBW EC 400 T120		2093.00 NEW
5811	GBW EC 450		1312.00
6475	GBW EC 450 T120		2194.00 NEW
GB-KW Drain pan			
5642	GB-KW 250		32.00
5643	GB-KW 315		49.00
5643	GB-KW 355		49.00
5644	GB-KW 400		86.00
5644	GB-KW 450		86.00
5644	GB-KW 500		86.00
5645	GB-KW EC 500		128.00
5645	GB-KW 560		128.00
5645	GB-KW 630		128.00
5646	GB-KW EC 630		207.00
5646	GB-KW 710		207.00
GB-RA Drain (accessory GB.. T120)			
9418	GB-RA		14.00
GB-WK Wall bracket			
5625	GB-WK 250		82.00
5625	GB-WK 315		82.00
5625	GB-WK 355		82.00
5626	GB-WK 400		106.00
5626	GB-WK 450		106.00
5626	GB-WK 500		106.00
5626	GB-WK 560		106.00
5626	GB-WK 630		106.00
GB-WSD Cover hood			
5746	GB-WSD 250		17.00
5747	GB-WSD 315		28.00
5747	GB-WSD 355		28.00
5748	GB-WSD 400		44.00
5748	GB-WSD 450		44.00
5748	GB-WSD 500		44.00
5749	GB-WSD EC 500		66.00
5749	GB-WSD 560		66.00
5749	GB-WSD 630		66.00
5750	GB-WSD EC 630		110.00
5750	GB-WSD 710		110.00
GB-WSG Outlet louvre			
5637	GB-WSG 250		56.00
5638	GB-WSG 315		86.00
5638	GB-WSG 355		86.00
5639	GB-WSG 400		150.00
5639	GB-WSG 450		150.00
5639	GB-WSG 500		150.00
5640	GB-WSG EC 500		221.00
5640	GB-WSG 560		221.00
5640	GB-WSG 630		221.00
5641	GB-WSG EC 630		358.00
5641	GB-WSG 710		358.00
GF Flange			
6918	GF 30/15		14.00
6919	GF 40/20		17.00
6920	GF 50/25		18.00
6921	GF 50/30		20.00

Ref. No.	Type	Motor power kW	£ excl. V.A.T.
6922	GF 60/30		20.00
6923	GF 60/35		21.00
6924	GF 70/40		24.00
6925	GF 80/50		25.00
6926	GF 100/50		28.00
GVK Twin swing shutter			
0370	GVK 200		89.00
0371	GVK 250		98.00
GX Window fan			
1483	GX 150		131.00
1484	GX 225		255.00
1485	GX 300		413.00
Heco Heat Recovery Units			
S783	Heco 25		713.00
S772	Heco 35		947.00
S773	Heco 50		1211.00
S774	Heco 80		1706.00
S768	Heco 100		1934.00
S748	Heco 150		3053.00
S767	Heco 200		3982.00
S750	Heco Dry Contact		117.00
S779	Heco Trickle & Boost Module		76.00
S1436	Heco Controller		111.00
HQD Axial Plate fans, low pressure 3 ph, 400 V			
1114	HQD 250/6		246.00
1115	HQD 250/4		216.00
1116	HQD 250/2		239.00
1128	HQD 250/4/2		307.00
1144	HQD 250/4 Ex		488.00
1145	HQD 250/2 Ex		519.00
1117	HQD 315/6		249.00
1118	HQD 315/4		242.00
1119	HQD 315/2		303.00
1460	HQD 315/4/4		413.00
1129	HQD 315/8/4		348.00
1131	HQD 315/4/2		383.00
1147	HQD 315/4 Ex		565.00
1148	HQD 315/2 Ex		576.00
1121	HQD 355/4		260.00
1122	HQD 355/2		402.00
1463	HQD 355/4/4		411.00
1132	HQD 355/8/4		366.00
1134	HQD 355/4/2		465.00
1149	HQD 355/6 Ex		684.00
1150	HQD 355/4 Ex		645.00
1151	HQD 355/2 Ex		676.00
1123	HQD 400/6		281.00
1124	HQD 400/4		282.00
1475	HQD 400/2/2		574.00
1465	HQD 400/4/4		721.00
1137	HQD 400/8/4		488.00
1139	HQD 400/4/2		551.00
1153	HQD 400/4 Ex		683.00

Ref. No.	Type	Motor power kW	£ excl. V.A.T.
0993	HQD 450/6		333.00
0994	HQD 450/4		333.00
1467	HQD 450/4/4		759.00
0996	HQD 450/8/4		526.00
1154	HQD 450/4 Ex		701.00
1126	HQD 500/6		373.00
1127	HQD 500/4		358.00
1471	HQD 500/6/6		449.00
1469	HQD 500/4/4		769.00
1142	HQD 500/8/4		586.00
1157	HQD 500/4 Ex		783.00
0386	HQD 560/6		461.00
0387	HQD 560/4		495.00
0388	HQD 560/8/4		790.00
0378	HQD 560/6 Ex		880.00
0379	HQD 560/4 Ex		890.00
5029	HQD 630/8	0.25	500.00
5027	HQD 630/6	0.55	500.00
5030	HQD 630/4/4	0.95/1.55	712.00
5032	HQD 630/8/4	0.24/1.50	1595.00
5035	HQD 630/6 Ex	0.55	870.00
5036	HQD 630/4 Ex	1.50	1167.00
5599	HQD 710/8/..°	0.37	1181.00
5602	HQD 710/6/6/..°	0.43/0.75	775.00
5603	HQD 710/6/6/..°	0.71/1.30	899.00
5604	HQD 710/4/4/..°	0.95/1.55	984.00
5605	HQD 710/4/4/..°	1.50/2.20	1045.00
5606	HQD 710/4/..°	3.00	1089.00
5611	HQD 710/8/4/..°	0.50/2.00	1749.00
5612	HQD 710/8/4/..°	0.90/3.60	1988.00
5618	HQD 710/8 Ex/..°	0.55	1590.00
5620	HQD 710/6 Ex/..°	0.55	1146.00
5621	HQD 710/6 Ex/..°	0.95	1160.00
5623	HQD 710/4 Ex/..°	2.00	1275.00
5624	HQD 710/4 Ex/..°	3.60	1481.00
	HQW Axial Plate fans, low pressure 1 ph, 230 V		
7537	HQW 200/4		163.00
0960	HQW 200/2		174.00
1102	HQW 250/6		233.00
1103	HQW 250/4		196.00
1104	HQW 250/2		272.00
0438	HQW 250/4 Ex		774.00
1094	HQW 250/2 Ex		726.00
1105	HQW 315/6		243.00
1106	HQW 315/4		236.00
0442	HQW 315/4 Ex		807.00
1107	HQW 355/6		275.00
1108	HQW 355/4		270.00
0444	HQW 355/4 Ex		813.00
1110	HQW 400/6		312.00
1111	HQW 400/4		299.00
0991	HQW 450/6		351.00
0992	HQW 450/4		348.00
1112	HQW 500/6		404.00
1113	HQW 500/4		398.00
0385	HQW 560/6		519.00
5054	HQW 560/4		609.00

Ref. No.	Type	£ excl. V.A.T.
5037	HQW 630/6	0.45 565.00
5056	HQW 630/4	1.50 741.00
5047	HQW 710/6	0.50 868.00
	HQW EC EC-Axial Plate Fan's, low pressure 1 ph, 230 V	
4822	HQW EC 250 A	670.00
4880	HQW EC 315 A	683.00
4916	HQW EC 355 A	710.00
4919	HQW EC 355 B	1087.00
4922	HQW EC 400 A	1177.00
4925	HQW EC 400 B	1664.00
4928	HQW EC 450 A	1219.00
4931	HQW EC 450 B	1706.00
4934	HQW EC 500 A	1554.00
4937	HQW EC 500 B	1872.00
	HR HelioVent® mini fan	
0334	HR 90 KE, with electr. damper	84.00
0335	HR 90 KEZ, with electr. damper and overrun timer	117.00
	HRFD Cased Axial Fan, low pressure 3 ph, 400 V	
0220	HRFD 250/4	295.00
0221	HRFD 250/2	326.00
0390	HRFD 250/4/2	363.00
0470	HRFD 250/4 Ex	492.00
0471	HRFD 250/2 Ex	575.00
0223	HRFD 315/4	320.00
0224	HRFD 315/2	402.00
1462	HRFD 315/4/4	437.00
0391	HRFD 315/8/4	373.00
0393	HRFD 315/4/2	439.00
0473	HRFD 315/4 Ex	515.00
0474	HRFD 315/2 Ex	646.00
0226	HRFD 355/4	363.00
0227	HRFD 355/2	445.00
1464	HRFD 355/4/4	487.00
0394	HRFD 355/8/4	437.00
0396	HRFD 355/4/2	572.00
0476	HRFD 355/4 Ex	572.00
0477	HRFD 355/2 Ex	685.00
0229	HRFD 400/4	389.00
1474	HRFD 400/2/2	579.00
1466	HRFD 400/4/4	606.00
0399	HRFD 400/8/4	500.00
0401	HRFD 400/4/2	636.00
0479	HRFD 400/4 Ex	553.00
0230	HRFD 450/6	444.00
0231	HRFD 450/4	443.00
1468	HRFD 450/4/4	845.00
0484	HRFD 450/2/2	1035.00
0403	HRFD 450/8/4	526.00
0481	HRFD 450/4 Ex	595.00
0232	HRFD 500/6	476.00
0233	HRFD 500/4	477.00
0485	HRFD 500/2/2	1127.00
1470	HRFD 500/4/4	982.00
0407	HRFD 500/8/4	595.00
0483	HRFD 500/4 Ex	749.00

Ref. No.	Type	Motor power kW	£ excl. V.A.T.
0381	HRFD 560/6		572.00
0382	HRFD 560/4		594.00
0383	HRFD 560/8/4		811.00
0376	HRFD 560/6 Ex		870.00
0377	HRFD 560/4 Ex		853.00
0244	HRFD 630/6	0.55	681.00
0245	HRFD 630/4/4	0.95/1.55	822.00
0411	HRFD 630/8/4	0.24/1.5	1724.00
0494	HRFD 630/6 Ex	0.55	974.00
0495	HRFD 630/4 Ex	1.50	1160.00
	HRFD Ø 710 mm		on request
	HRFW Cased Axial Fan, low pressure 1 ph, 230 V		
7540	HRFW 200/4		214.00
0199	HRFW 200/2		228.00
0200	HRFW 250/4		285.00
0201	HRFW 250/2		363.00
0437	HRFW 250/4 Ex		950.00
1095	HRFW 250/2 Ex		868.00
0202	HRFW 315/6		335.00
0203	HRFW 315/4		333.00
0439	HRFW 315/4 Ex		966.00
0204	HRFW 355/6		385.00
0205	HRFW 355/4		358.00
0443	HRFW 355/4 Ex		1043.00
0206	HRFW 400/6		414.00
0207	HRFW 400/4		385.00
0208	HRFW 450/6		458.00
0209	HRFW 450/4		439.00
0210	HRFW 500/6		468.00
0211	HRFW 500/4		513.00
0380	HRFW 560/6		609.00
5055	HRFW 560/4		670.00
5057	HRFW 630/4		930.00
	HRFW EC EC Cased Axial Fan, low pressure 1 ph, 230 V		
4824	HRFW EC 250 A		750.00
4882	HRFW EC 315 A		773.00
4918	HRFW EC 355 A		795.00
4921	HRFW EC 355 B		1130.00
4924	HRFW EC 400 A		1320.00
4927	HRFW EC 400 B		1644.00
4930	HRFW EC 450 A		1300.00
4933	HRFW EC 450 B		1824.00
4936	HRFW EC 500 A		1664.00
4939	HRFW EC 500 B		1993.00
	HSD Cased Axial In Wall Fan, low pressure 3 ph, 400 V		
0155	HSD 250/4		295.00
0158	HSD 315/4		320.00
0346	HSD 315/8/4		384.00
0348	HSD 315/4/2		439.00
0354	HSD 400/8/4		500.00

Ref. No.	Type	£ excl. V.A.T.
HSDV Roof fan attenuator (hood)		
7476	HSDV 315	on request
7480	HSDV 355	on request
7481	HSDV 400	on request
7482	HSDV 450	on request
7483	HSDV 500	on request
7484	HSDV 560	on request
4789	HSDV 630	on request
HSW Cased Axial In Wall Fan, low pressure 1 ph, 230 V		
7502	HSW 200/4	211.00
7503	HSW 200/2	238.00
0139	HSW 250/6	303.00
0140	HSW 250/4	303.00
0141	HSW 250/2	362.00
0142	HSW 315/6	335.00
0143	HSW 315/4	332.00
HV HelioVent®-axial wall fans		
0957	HV 200/4 R	168.00
0958	HV 250/4 R	193.00
HVR HelioVent®-axial extract fans		
0283	HVR 150/4 E	114.00
0285	HVR 150/2 E	125.00
0286	HVR 150/2 RE	134.00
Window fan		
0285/0463	HVR 150/2 E/FES	168.00
0286/0463	HVR 150/2 RE/FES	177.00
HWD Axial Plate fans, low pressure 3 ph, 400 V		
1016	HWD 250/4	255.00
1017	HWD 250/2	272.00
1019	HWD 315/4	271.00
1020	HWD 315/2	350.00
1022	HWD 355/4	350.00
1023	HWD 355/2	458.00
1025	HWD 400/4	348.00
1028	HWD 450/4	415.00
1030	HWD 500/4	431.00
1032	HWD 630/6	0.55 632.00
1033	HWD 630/4/4	0.95/1.55 805.00
HWW Axial Plate fans, low pressure 1 ph, 230 V		
7538	HWW 200/4	186.00
1001	HWW 250/4	254.00
1002	HWW 250/2	302.00
1004	HWW 315/4	281.00
1006	HWW 355/4	321.00
1008	HWW 400/4	352.00
1010	HWW 450/4	438.00

Ref. No.	Type	£ excl. V.A.T.
HWW EC Axial Plate fans, low pressure 1 ph, 230 V		
4823	HWW EC 250 A	670.00
4881	HWW EC 315 A	683.00
4917	HWW EC 355 A	710.00
4920	HWW EC 355 B	1087.00
4923	HWW EC 400 A	1177.00
4926	HWW EC 400 B	1664.00
4929	HWW EC 450 A	1219.00
4932	HWW EC 450 B	1706.00
4935	HWW EC 500 A	1554.00
4938	HWW EC 500 B	1872.00
HY Humidistat		
1359	HY 3	56.00
1360	HY 3 SI	56.00
Inverter controls		
S668	1.1KW IP55	597.00
S1298	1.5KW IP55	678.00
S664	2.2KW IP55	780.00
S607	3KW IP55	868.00
S663	4KW IP55	924.00
S254	5.5KW IP55	1049.00
S530	7.5KW IP55	1160.00
S610	11KW IP55	1572.00
IP IsoPipe® Insulated ducting system Duct		
9406	IP 125/2000 8 pcs. of 2 m	349.00
9447	IP 160/2000 6 pcs. of 2 m	267.00
9448	IP 180/2000 4 pcs. of 2 m	286.00
Duct piece to connect - to distribution box, undersoil heat exchanger, HygroBox		
9458	IP-ARZ 125/160	12.00
9358	IP-ARZ 160/125	12.00
9459	IP-ARZ 160/180	13.00
9360	IP-ARZ 180/125	17.00
9455	IP-ARZ 180/160	13.00
9359	IP-ARZ 200/125	13.00
9456	IP-ARZ 200/160	9.00
9457	IP-ARZ 200/180	14.00
9590	IP-ARZ 250/160	15.00
9591	IP-ARZ 250/180	18.00
Elbow - 45°-elbow		
9399	IP-B 125/45	13.00
9449	IP-B 160/45	12.00
9450	IP-B 180/45	15.00
- 90°-elbow		
9398	IP-B 125/90	25.00
9451	IP-B 160/90	26.00
9452	IP-B 180/90	22.00
Roof terminations consisting of a) roof outlet		
3541	IP-DHS 125 (black)	100.00
3543	IP-DHR 160 (terracotta)	100.00
3542	IP-DHS 160 (black)	96.00
3543	IP-DHR 180 (terracotta)	100.00
3542	IP-DHS 180 (black)	96.00

Ref. No.	Type	£ excl. V.A.T.
b) Weathering plate - pitched roofs with leaded sheet		
3546	IP-UDPS 125	100.00
9384	IP-BP 160/180/25	114.00
9385	IP-BP 160/180/35	114.00
9386	IP-BP 160/180/45	114.00
- for flat roofs		
3544	IP-FDP 125	85.00
3545	IP-FDP 160	110.00
3545	IP-FDP 180	110.00
Facade panels, made from stainless steel - for intake air		
3125	IP-FBA 125	45.00
3127	IP-FBA 160	53.00
3130	IP-FBA 180	58.00
- coated		
2664	IP-FBA 125 B	68.00
2665	IP-FBA 160 B	77.00
2666	IP-FBA 180 B	84.00
- for exhaust air		
3126	IP-FBF 125	69.00
3128	IP-FBF 160	76.00
3131	IP-FBF 180	80.00
- coated		
2901	IP-FBF 125 B	90.00
2902	IP-FBF 160 B	98.00
2903	IP-FBF 180 B	108.00
- Facade combination panel for intake and exhaust air		
2689	IP-FKB 125	117.00
2694	IP-FKB 160	117.00
2695	IP-FKB 180	145.00
- coated		
2661	IP-FKB 125 B	138.00
2662	IP-FKB 160 B	149.00
2663	IP-FKB 180 B	163.00
Inside connector for IP Ø 160 and 180 mm		
9453	IP-IV 160	4.00
9454	IP-IV 180	5.00
Sticky tape, insulated for IP Ø 160 and 180 mm		
9643	IP-KLB 50 mm x 15 mm	36.00
Connector for IP Ø 125 and 150 mm		
9394	IP-MU 125	6.00
Casing clamp		
9395	IP-S 125 (price for 1 pc.)	5.00
9392	IP-S 160 (price for 1 pc.)	5.00
9421	IP-S 180 (price for 1 pc.)	7.00
ITEC High Efficiency EC Twin Fan		
S1520	ITEC 125	858.00
S1522	ITEC 150	858.00
S1524	ITEC 200	943.00
S1526	ITEC 250	943.00
S1528	ITEC 315	1584.00
S1530	ITEC 355	2001.00

Ref. No.	Type	£ excl. V.A.T.	Ref. No.	Type	£ excl. V.A.T.	Ref. No.	Type	£ excl. V.A.T.
S1532	ITEC 400	2238.00	8167	KRD EC 560/100/50 A	2283.00	2738	KTVZ 160	29.00
S1534	ITEC 450	2336.00	8175	KRD EC 560/100/50 B	2789.00	2739	KTVZ 200	33.00
S1536	ITEC 500	2503.00		KRW Centrifugal fans for rectangular ducting InlineVent®-SwingOut 1 ph, 230 V			KVD InlineVent®-Rectangular fans for rectangular ducting, 3 ph, 400 V	
	JVK Volume control dampers		8885	KRW 180/2/30/15	403.00	5676	KVD 200/4/40/20	370.00
6927	JVK 30/15	61.00	8886	KRW 225/2/40/20	437.00	5679	KVD 225/4/50/25	442.00
6910	JVK 40/20	72.00	8873	KRW 250/2/50/25	435.00	6810	KVD 225/4/50/25 Ex	591.00
6911	JVK 50/25	84.00	8692	KRW 355/4/60/35	1002.00	6811	KVD 250/4/50/30 Ex	903.00
6912	JVK 50/30	88.00	6150	KRW 400/4/70/40	882.00	6812	KVD 280/4/60/30 Ex	1041.00
6913	JVK 60/30	97.00	6151	KRW 450/4/70/40	1084.00	6813	KVD 315/4/60/35 Ex	1264.00
6914	JVK 60/35	98.00	6152	KRW 500/4/80/50	1365.00	5688	KVD 355/6/70/40	1176.00
6915	JVK 70/40	114.00		KRW EC InlineVent® EC-Centrifugal fans 1 ph, 230 V		6814	KVD 355/6/70/40 Ex	1498.00
6916	JVK 80/50	127.00	8168	KRW EC 180/30/15	485.00	5690	KVD 400/8/80/50	1343.00
6917	JVK 100/50	135.00	8169	KRW EC 225/40/20	523.00	5691	KVD 400/6/80/50	1446.00
	KAK Cold smoke shutter		8170	KRW EC 315/50/25	670.00	5692	KVD 450/8/100/50	1844.00
4096	KAK 80	22.00	7589	KRW EC 315/50/25 B	940.00	5693	KVD 450/6/100/50	1758.00
4097	KAK 100	25.00	8171	KRW EC 355/60/30	1167.00		KWW InlineVent®-Rectangular fans for rectangular ducting, 1 ph, 230 V	
4098	KAK 125	27.00	8172	KRW EC 400/60/35	1702.00	5675	KWW 200/4/40/20	378.00
4099	KAK 160	37.00	6127	KRW EC 450/70/40	1706.00		KWL®.. Ventilation system with heat recovery	
4100	KAK 200	45.00		KSB Cold shrinking strip – for circular duct sealing			Wall installed unit KWL EC 45 for single rooms – Wall sleeve, external facia	
	KK Terminal box Ex		9343	KSB 50 mm x 15 m	28.00	3005	KWL 45 RSF (first fix set)	147.00
6862	KK Ex Terminal box	53.00		– aluminium coated for rectangular duct		3070	KWL 45 RSF-L	153.00
	KLB Tape		9344	KSB ALU 50 mm x 15 m	26.00	1963	KWL 45 RSF-B	172.00
0619	KLB 50 mm x 20 m	4.00		KSD Silencer		1955	KWL 45 RSF-LB	181.00
	KLF Air filter cassette		8728	KSD 40/20	225.00		Reveal Unit	
8720	KLF 40/20 G4	131.00	8729	KSD 50/25-30	268.00	3009	KWL 45 RSL	on request
8644	KLF 40/20 F7	161.00	8730	KSD 60/30-35	307.00		External wall insulation for KWL 45 RSF/RSL	
8721	KLF 50/25-30 G4	149.00	8731	KSD 70/40	416.00	1782	KWL 45 WS	on request
8645	KLF 50/25-30 F7	187.00	8732	KSD 80/50	515.00	1783	KWL 45 WS-L	on request
8722	KLF 60/30-35 G4	168.00	8733	KSD 100/50	613.00		– Ventilation unit, indoor facia	
8646	KLF 60/30-35 F7	207.00		KTRD Controller ph for temperature control, 3 ph, 400 V		3011	KWL EC 45	349.00
8723	KLF 70/40 G4	189.00	1650	KTRD 3	1355.00		– Stainless steel facade panel	
8647	KLF 70/40 F7	236.00	1651	KTRD 5,5	1532.00	4165	KWL 45 FB-W	100.00
8670	KLF 80/50 G4	275.00	1652	KTRD 10	1585.00	4178	KWL 45 FBT-E	76.00
8654	KLF 80/50 F7	307.00	1653	KTRD 15	1939.00	4179	KWL 45 FBT-B	102.00
8671	KLF 100/50 G4	309.00		KTRW Controller for temperature control, 1 ph, 230 V		4180	KWL 45 FBT-W	108.00
8655	KLF 100/50 F7	396.00	1662	KTRW 3	330.00		– Stainless steel soffit screen	
	KR Wall tubes			KTVA/KTVZ Plastic two way valves – for air extract		4167	KWL 45 LG	42.00
5091	KR 150	36.00	0940	KTVA 75/80	11.00	4168	KWL 45 LG-B	71.00
	KRD Centrifugal fans for rectangular ducting InlineVent®-SwingOut 3 ph, 400 V		0941	KTVA 100	11.00	4169	KWL 45 LG-W	71.00
7590	KRD EC 355/60/30	1703.00	0942	KTVA 125	13.00		– Soffit installation package	
7591	KRD EC 400/60/35	1762.00	0943	KTVA 160	24.00	4166	KWL 45 RL	137.00
8584	KRD 355/4/60/35	768.00	0944	KTVA 200	29.00		– Sound insulation element	
8694	KRD 450/4/70/40	1288.00		– for air intake		4177	KWL 45 SE	8.00
8643	KRD 500/4/80/50 A	1558.00	2762	KTVZ 80	14.00	4170	KWL 45 SEL	18.00
8842	KRD 560/6/80/50	1402.00	2736	KTVZ 100	14.00		– Wall installation sleeve	
6147	KRD 560/4/80/50	1620.00	2737	KTVZ 125	25.00	1782	KWL 45 WH	26.00
	KRD EC InlineVent® EC-Centrifugal fans 3 ph, 400 V					1783	KWL 45 WH-L	31.00
8173	KRD EC 450/70/40	1877.00						
8174	KRD EC 500/80/50 A	2056.00						
6128	KRD EC 500/80/50 B	2541.00						

Ref. No.	Type	£ excl. V.A.T.	Ref. No.	Type	£ excl. V.A.T.	Ref. No.	Type	£ excl. V.A.T.
	Accessories		4258	KWL EC 500 W R	2588.00		Accessories	
3041	KWL 45 BEU	349.00	4260	KWL EC 500 W L	2588.00	5632	KWL-OME	70.00
3012	KWL 45 EM	82.00	4259	KWL EC 500 W ET R	3415.00	5631	KWL-UVR	39.00
3001	KWL 45 SNH	71.00	4261	KWL EC 500 W ET L	3332.00	5630	KWL-WF	7.00
3008	KWL 45 SNU	71.00		Accessories			Accessories (for KWL-HB.. WW)	
3006	KWL 45 STS-UP	164.00	9960	KWL-ALA	51.00	5628	KWL-NHR 250	276.00
3007	KWL 45 STS-HS	164.00	4270	KWL-APG	21.00	5633	KWL-NHR 500	750.00
	Wall installed unit KWL EC 60 for single rooms - Wall sleeve, external facia		9956	KWL-BCA	253.00	5629	KWL-PMA 250	360.00
0708	KWL 60 RS (first fix set)	270.00	9955	KWL-BCU	230.00	5634	KWL-PMA 500	454.00
1961	KWL 60 RS-B	267.00	4265	KWL-BE	78.00		KWL-RS Cleaning kit for air distribution system FlexPipe® and RenoPipe	
	- Ventilation unit, indoor facia		4263	KWL-BEC	245.00	2797	KWL-RS	520.00
9950	KWL EC 60 Eco	827.00	4272	KWL-CO ₂	265.00		KWL-MZB MultiZoneBox	
9951	KWL EC 60 Pro	1070.00	9988	KWL EC-CO ₂	230.00	4053	KWL-MZB 125/125	221.00 NEW
9957	KWL EC 60 Pro FF	1147.00	9989	KWL EC-FF	89.00	4052	KWL-MZB 6+1-75/125	239.00 NEW
	Compensation ring		4269	KWL-EM ¹⁾	231.00	4051	KWL-MZB 6+1-75/125 L90	115.00 NEW
0888	KWL 60 DR	135.00	0896	KWL-ET 200/300	715.00	4050	KWL-MZB 6+1-75/125 R90	115.00 NEW
1962	KWL 60 DR-B	139.00	5912	KWL-ET 270/370	968.00		Accessories	
3059	KWL 60 SDS	65.00	0897	KWL-ET 500	968.00	4217	KWL-MZB-AP	11.00 NEW
	Safety guard		4224	KWL-EVH 200/300 W	280.00	4213	KWL-MZB-BE	14.00 NEW
9978	KWL 60 SG (2 pcs)	17.00	9636	KWL-EVH 220 D	253.00	4214	KWL-MZB-BET	19.00 NEW
9976	KWL 60 SG-B	23.00	9636	KWL-EVH 220D R	253.00	4250	KWL-MZB-F	24.00 NEW
	Extension sleeve		9637	KWL-EVH 220D L	254.00	4253	KWL-MZB-KSS	10.00 NEW
0884	KWL 60 WW	39.00	4241	KWL-EVH 340 D	280.00	4249	KWL-MZB-RH13	11.00 NEW
	Central ventilation unit with heat recovery		4262	KWL-EVH 500 W	259.00	4236	KWL-MZB-RH7	14.00 NEW
4226	KWL EC 220 D R	1982.00	4273	KWL-FTF ¹⁾	155.00	4216	KWL-MZB-VOC-F	24.00 NEW
4227	KWL EC 220 D L	1982.00	4275	KWL-KNX ¹⁾	382.00	4219	KWL-MZB-VSAP	73.00 NEW
4237	KWL EC 340 D R	2185.00	9644	KWL-LTK	23.00	4215	KWL-MZB-ZR	88.00 NEW
4238	KWL EC 340 D L	2185.00	4277	KWL-RJ10 KL	12.00		LDF Differential pressure sensor (for EUR 6 C)	
4171	KWL EC 700 D Pro	6170.00	8342	KWL-SB 800 S	39.00	1322	LDF 500	234.00
4172	KWL EC 700 D Pro WW	6473.00	8485	KWL-SB 1200 S	42.00		LEWT.. Ground-to-air heat exchanger kit including LEWT-A, undersoil collector duct (length = 2 x 25 m), temperature control, duct formed parts and wall penetration	
4173	KWL EC 1400 D Pro	7538.00	8343	KWL-SB 1800 S	48.00	2977	LEWT-kit	3611.00
4174	KWL EC 1400 D Pro WW	7931.00	8344	KWL-SB 2600 S	54.00		LEWT- single components: Outside-air-intake	
4175	KWL EC 2000 D Pro	9721.00	4404	KWL-SL 4/3	14.00	2992	LEWT-A	1066.00
4176	KWL EC 2000 D Pro WW	10133.00	4405	KWL-SL 4/5	16.00		Undersoil collector duct (2 x 25 m) and wall penetration	
8327	KWL EC 800 S Pro	6326.00	4411	KWL-SL 4/10	21.00	2991	LEWT-E+M	1377.00
8328	KWL EC 800 S Pro WW	6608.00	4413	KWL-SL 4/20	32.00		Temperature control and duct formed parts	
8329	KWL EC 1800 S Pro	9034.00	9987	KWL-SL 6/3	12.00	2990	LEWT-S+F	1233.00
8330	KWL EC 1800 S Pro WW	9443.00	9980	KWL-SL 6/5	25.00		Connection sleeve	
8345	KWL EC 1200 S Pro	9034.00	9444	KWL-SL 6/10	26.00	2971	LEWT-MU (incl. 2 gaskets)	36.00
8346	KWL EC 1200 S Pro WW	6858.00	9959	KWL-SL 6/20	33.00		LF Air filter	
8331	KWL EC 2600 S Pro	10499.00	4206	KWL-ÜS 700 D	44.00	0743	LF 200	56.00
8332	KWL EC 2600 S Pro WW	10934.00	8339	KWL-ÜS 800 S	49.00	0744	LF 250	61.00
4220	KWL EC 200 W R	1930.00	8349	KWL-ÜS 1200 S	65.00			
4222	KWL EC 200 W L	1930.00	4207	KWL-ÜS 1400 D	54.00			
4221	KWL EC 200 W ET R	2331.00	8340	KWL-ÜS 1800 S	69.00			
4223	KWL EC 200 W ET L	2331.00	4208	KWL-ÜS 2000 D	61.00			
4228	KWL EC 270 W R	2099.00	8341	KWL-ÜS 2600 S	102.00			
4230	KWL EC 270 W L	2099.00	4274	KWL-VOC	255.00			
4229	KWL EC 270 W ET R	2651.00		KWL-HB KWL-HygroBox Humidifier - with water pre-heater battery				
4231	KWL EC 270 W ET L	2651.00	0923	KWL-HB 250 WW R	4335.00			
4232	KWL EC 300 W R	2004.00	0922	KWL-HB 250 WW L	4335.00			
4234	KWL EC 300 W L	2004.00	0981	KWL-HB 500 WW R	4909.00			
4233	KWL EC 300 W ET R	2178.00	0980	KWL-HB 500 WW L	4909.00			
4235	KWL EC 300 W ET L	2333.00		- with electric pre-heater battery				
4245	KWL EC 370 W R	2397.00	0963	KWL-HB 250 EH R	4335.00			
4247	KWL EC 370 W L	2397.00	0962	KWL-HB 250 EH L	4335.00			
4246	KWL EC 370 W ET R	2683.00						
4248	KWL EC 370 W ET L	2805.00						

Ref. No.	Type	£ excl. V.A.T.
0745	LF 315	77.00
0746	LF 355	98.00
0747	LF 400	122.00
0748	LF 500	135.00
LFBR In-line air filter box		
8576	LFBR 100 G4	62.00
8530	LFBR 100 F7	146.00
8577	LFBR 125 G4	63.00
8531	LFBR 125 F7	148.00
8578	LFBR 160 G4	72.00
8532	LFBR 160 F7	153.00
8579	LFBR 200 G4	81.00
8533	LFBR 200 F7	165.00
8580	LFBR 250 G4	98.00
8534	LFBR 250 F7	187.00
LFBR 315 G4		
8581	LFBR 315 G4	114.00
LFBR 315 F7		
8535	LFBR 315 F7	217.00
LFBR 355 G4		
8583	LFBR 355 G4	134.00
LFBR 355 F7		
8536	LFBR 355 F7	279.00
LFBR 400 G4		
8582	LFBR 400 G4	134.00
LFBR 400 F7		
8537	LFBR 400 F7	289.00
LGF Air flow speed sensor (for EUR 6 C)		
1325	LGF 10	320.00
LGK/LGM Intake/extract grille		
0259	LGK 80	6.00
0254	LGM 100	48.00
0258	LGM 125	51.00
0261	LGM 160	60.00
LGR Rectangular grille		
0927	LGR 250/150	61.00
0928	LGR 450/150	70.00
0929	LGR 350/230	74.00
0930	LGR 450/230	81.00
LTA External thermostat (for EUR 6 C)		
1336	LTA 40	40.00
LTG.. Door grille		
0247	LTGB (brown)	7.00
0246	LTGW (white)	7.00
LTK Temp. sensor for in-duct installation		
1324	LTK 40 (for EUR 6 C)	33.00
LTR Room temperature sensor		
1323	LTR 40 (for EUR 6 C)	38.00
M1 MiniVent® mini fan – Diameter Ø 100 mm		
6171	M1/100	74.00
6175	M1/100 F (humidity control)	116.00
6172	M1/100 N/C(overrun/interval timer)	96.00
6174	M1/100 P (PIR motion sensor)	120.00

Ref. No.	Type	£ excl. V.A.T.
– Diameter Ø 120 mm		
6360	M1/120	87.00
6364	M1/120 F (humidity control)	134.00
6361	M1/120 N/C(overrun/interval timer)	117.00
6363	M1/120 P (PIR motion sensor)	138.00
– Diameter Ø 150 mm		
6041	M1/150	118.00
6043	M1/150 F (humidity control)	192.00
6042	M1/150 N/C(overrun/interval timer)	146.00
6044	M1/150 0-10 V	182.00
M Full motor protection unit		
1292	M 2	189.00
1293	M 3	200.00
1571	M 4	200.00
MBD / MBW MegaBox Centrifugal fans 3 ph, 230/400 V		
6001	MBD 160/4 Ex	1533.00
6002	MBD 160/2 Ex	1935.00
6004	MBD 180/4 Ex	1594.00
6008	MBD 200/4 Ex	1871.00
MBD 225/2/2		
6457	MBD 225/2/2	1871.00
MBD 225/4 Ex		
6011	MBD 225/4 Ex	1899.00
MBD 250/2/2		
6459	MBD 250/2/2	1293.00
MBD 250/4 Ex		
6014	MBD 250/4 Ex	2282.00
MBD 280/2/2		
6460	MBD 280/2/2	1632.00
MBD 280/6 Ex		
6016	MBD 280/6 Ex	2306.00
MBD 280/4 Ex		
6017	MBD 280/4 Ex	2465.00
MBD 315/2/2		
5946	MBD 315/2/2	1836.00
MBD 315/4/4		
5945	MBD 315/4/4	1654.00
MBD 355/2/2		
5948	MBD 355/2/2	2166.00
MBD 355/4/4		
5947	MBD 355/4/4	2057.00
MBD 400/2/2		
5949	MBD 400/2/2	2266.00
MBD 400/4/4		
5955	MBD 400/4/4	2011.00
1 ph, 230 V		
6456	MBW 225/2	1293.00
6458	MBW 250/2	1332.00
5929	MBW 315/4	1654.00
5951	MBW 355/4	1924.00
5953	MBW 400/4	2011.00
MB EC MegaBox EC-Centrifugal fans 3 ph, 400 V		
5845	MBD EC 280	1791.00
5851	MBD EC 315 A	1833.00
5846	MBD EC 315 B	1936.00
5853	MBD EC 355 A	2264.00
5847	MBD EC 355 B	2553.00
5855	MBD EC 400 A	2356.00
5848	MBD EC 400 B	2650.00
1 ph, 230 V		
5842	MBW EC 225	1400.00
5843	MBW EC 250	1654.00
5850	MBW EC 280	1791.00
5852	MBW EC 315	1867.00
5854	MBW EC 355	2155.00

Ref. No.	Type	£ excl. V.A.T.
Mounting accessories for Megabox fans		
Wall bracket		
5526	MB-WK 160/180/200	128.00
5526	MB-WK EC 225/EC 250	128.00
5527	MB-WK 225/250/280	145.00
5527	MB-WK EC 280/EC 315	145.00
5528	MB-WK 315/355/400	166.00
5528	MB-WK EC 355/EC 400	166.00
Hood		
1856	MB-WSD 160 -400	64.00
1856	MB-WSD EC 225-280	64.00
1865	MB-WSD EC315/355/400	62.00
MBR Mounting plate (for HR 90 K, M1/100)		
0281	MBR 90/160/300	12.00
MD Full motor protection unit 3 ph, 400 V		
5849	MD	106.00
MF Spacer		
0819	MF 90 (for HR 90..)	6.00
6188	MF 100 (for M1/100)	6.00
MK Mounting feet		
5821	MK 1	5.00
5822	MK 2	6.00
5823	MK 3	6.00
5824	MK 4	5.00
1446	MK 200/225 (2 pcs.)	20.00
1447	MK 250/280 (2 pcs.)	21.00
1448	MK 315/355 (2 pcs.)	24.00
1449	MK 400/450 (2 pcs.)	36.00
1450	MK 500/560 (2 pcs.)	44.00
1333	MK 630 (2 pcs.)	64.00
1372	MK 710 (2 pcs.)	74.00
1373	MK 800 (2 pcs.)	97.00
1374	MK 900 (2 pcs.)	122.00
1375	MK 1000 (2 pcs.)	162.00
MRV Mounting feet for vertical attachment		
1755	MRV 315	189.00
1759	MRV 355	193.00
1760	MRV 400	200.00
1761	MRV 450	208.00
1740	MRV 500	218.00
1741	MRV 560	221.00
1742	MRV 630	239.00
MRV 710-1250 on request		
MSA Motor protection unit for explosion proof fans		
1289	MSA	122.00
MTVA / MTVZ Metal two way valves – for air extract		
8868	MTVA 75/80	10.00
8869	MTVA 100	11.00
8870	MTVA 125	14.00
8871	MTVA 160	19.00
8872	MTVA 200	24.00

Ref. No.	Type	£ excl. V.A.T.
	– for air intake	
9603	MTVZ 75/80	10.00
9604	MTVZ 100	11.00
9605	MTVZ 125	14.00
9606	MTVZ 160	19.00
9607	MTVZ 200	24.00
	MV MixFlowVent Centrifugal fans 1 ph, 230 V	
6050	MV 100 A	101.00
6051	MV 100 B	119.00
6052	MV 125	129.00
6053	MV 150	146.00
6054	MV 160	152.00
6055	MV 200	216.00
6056	MV 250	236.00
	MV EC MultiVent® EC-Mixed Flow fans 1 ph, 230 V	
6032	MV EC 125	319.00
6033	MV EC 160	335.00
6034	MV EC 200	392.00
6035	MV EC 250	489.00
6036	MV EC 315	614.00
	MixFlowVent Parallel-Twin-Unit 1 ph, 230 V	
6065	MVP 100 B	307.00
6066	MVP 125	327.00
6067	MVP 150	370.00
6068	MVP 160	370.00
6069	MVP 200	513.00
6070	MVP 250	656.00
	MixFlowVent Two-stage fan unit 1 ph, 230 V	
6058	MVZ 100 B	273.00
6059	MVZ 125	294.00
6060	MVZ 150	328.00
6061	MVZ 160	328.00
6062	MVZ 200	453.00
6063	MVZ 250	569.00
	Protective grating for MV	
6071	MVS 100	13.00
6072	MVS 125	14.00
6073	MVS 150	18.00
6074	MVS 160	17.00
6075	MVS 200	25.00
6076	MVS 250	28.00
	MVB Operating switch (for AV..., DX..., MV..., M1/100)	
6091	MVB	48.00
	MW Full motor protection unit 1 ph, 230 V	
1579	MW	61.00

Ref. No.	Type	£ excl. V.A.T.
	MWS Transformer controller with motor protection unit 1 ph, 230 V	
1947	MWS 1,5	189.00
1948	MWS 3	196.00
1949	MWS 5	245.00
1950	MWS 7,5	352.00
1946	MWS 10	416.00
	OPK Supply Air Handling Unit complete with TPC controls as standard	
S953	OPK 6000 ELECTRIC	6546.00
S1271	OPK 6000 WATER	6044.00
S961	OPK 8000 ELECTRIC	6863.00
S1241	OPK 8000 WATER	6589.00
S1106	OPK 10.000 ELECTRIC	7646.00
S1242	OPK 10.000 WATER	7338.00
	PA/PU Speed potentiometer – surface mounted	
1735	PA 10	44.00
1737	PA 24	44.00
	– flush mounted	
1734	PU 10	42.00
1736	PU 24	42.00
	PB Purlin box	
7656	PB 200/250	93.00
7657	PB 315	93.00
7658	PB 355	97.00
7659	PB 400/450	105.00
7660	PB 500/560	133.00
7661	PB 630/710	171.00
	PDA / PGWA Pole switch, surface mounted	
5081	PDA 12	53.00
5060	PDA 25	96.00
5083	PGWA 12	66.00
5061	PGWA 25	84.00
	PDU / PGWU Pole switch, flush mounted	
5082	PDU 12	44.00
5084	PGWU 12	44.00
	PIR Passive infra red sensor	
S070	PIR	56.00
	PWDA / PWGW Reverse and pole switch	
1282	PWDA	130.00
1281	PWGW	119.00
	QVK Rectangular grille	
0791	QVK 200	76.00
0792	QVK 250	86.00
0793	QVK 315	114.00
0794	QVK 355	132.00
0795	QVK 400	210.00

Ref. No.	Type	£ excl. V.A.T.
	RAG Rain repellent grille	
0750	RAG 200	70.00
0751	RAG 250	76.00
0752	RAG 315	89.00
0753	RAG 355	101.00
0754	RAG 400	111.00
0755	RAG 450	134.00
0756	RAG 500	175.00
	RC Horizontal roof cowls – add fan to make complete powered unit	
5127	RC 200/250	218.00
5128	RC 315	226.00
5129	RC 355	289.00
5130	RC 400/450	336.00
5132	RC 500/560	403.00
5133	RC 630/710	513.00
	RDD / RDW Centrifugal roof fans horizontal discharge 3 ph, 400 V	
7191	RDD 200/4 Ex	500.00
7239	RDD 225/4 Ex	504.00
7273	RDD 250/4 Ex	627.00
7288	RDD 315/4	559.00
7303	RDD 315/4 Ex	725.00
7326	RDD 355/4	701.00
7329	RDD 355/4 Ex	889.00
7352	RDD 400/6	744.00
7351	RDD 400/4	780.00
7363	RDD 400/6 Ex	842.00
7358	RDD 400/4 Ex	1087.00
7385	RDD 450/6	984.00
7384	RDD 450/4	1028.00
7391	RDD 450/6 Ex	1028.00
7390	RDD 450/4 Ex	1714.00
7410	RDD 500/6	1111.00
7409	RDD 500/4	1280.00
7414	RDD 500/6 Ex	1767.00
7416	RDD 500/4 Ex	1904.00
7429	RDD 560/6	1464.00
7426	RDD 560/4	1738.00
7432	RDD 560/6 Ex	2033.00
7447	RDD 630/6	1781.00
7450	RDD 630/6 Ex	3283.00
7460	RDD 710/6	3148.00
	1 ph, 230 V	
7122	RDW 180/3	227.00
7176	RDW 200/2	310.00
7177	RDW 200/4	293.00
7234	RDW 225/2	336.00
7235	RDW 225/4	326.00
7264	RDW 250/4	382.00
7287	RDW 315/4	629.00
7323	RDW 355/4	758.00
7350	RDW 400/4	928.00
7377	RDW 450/4	1050.00

Ref. No.	Type	£ excl. V.A.T.
	RDW EC EC-Centrifugal roof fans horizontal discharge 1 ph, 230 V	
7125	RDW EC 180	356.00
7195	RDW EC 200	386.00
7262	RDW EC 225 A	400.00
7243	RDW EC 225 B	537.00
7278	RDW EC 250	594.00
7306	RDW EC 315	906.00
7333	RDW EC 355	1073.00
7365	RDW EC 400	1182.00
7397	RDW EC 450	1389.00
	RDS Transformer controller with motor protection 3 ph, 400 V	
1314	RDS 1	287.00
1315	RDS 2	320.00
1316	RDS 4	363.00
1578	RDS 7	559.00
1332	RDS 11	826.00
	REW Axial in-duct fans	
0441	REW 90 K	54.00
0440	REW 150/2	99.00
7504	REW 200/4	184.00
7505	REW 200/2	193.00
	RHS Isolating switches	
1594	RHS 3 + 1	51.00
1595	RHS 6 + 2	60.00
	RIRS/RIRS EKO High Efficiency Heat Recovery Unit	
	RIS/RIRS EKO	on request
	RIS H EKO 3.0 Stacked EC Heat Recovery Unit Complete with Flex Controller	
S1313	RIS 700 HE EKO 3.0	2889.00
S951	RIS 700 HW EKO 3.0*	3098.00
S1232	RIS 1200 HE EKO 3.0	4180.00
S1233	RIS 1200 HW EKO 3.0*	4533.00
S1208	RIS 1900 HE EKO 3.0	5861.00
S1236	RIS 1900 HW EKO 3.0*	5987.00
S917	RIS 2500 HE EKO 3.0	8206.00
S946	RIS 2500 HW EKO 3.0*	8270.00
S1234	RIS 3500 HE EKO 3.0	10673.00
S1235	RIS 3500 HW EKO 3.0*	10887.00
S1237	RIS 5500 HE EKO 3.0	17790.00
S1314	RIS 5500 HW EKO 3.0*	17909.00
	RIS P EKO 3.0 VOID EC Heat Recovery Unit Complete with Flex Controller	
S1305	RIS 400 PE 0.9 EKO 3.0	2223.00
S1262	RIS 400 PE 1.6 EKO 3.0	2250.00
S1282	RIS 400 PE 3 EKO 3.0	2269.00
S1306	RIS 400 PW EKO 3.0	2207.00
S1228	RIS 700 PE 1.2 EKO 3.0	3025.00
S1307	RIS 700 PE 3.0 eko 3.0	3044.00
S1308	RIS 700 PE 4.5 EKO 3.0	3129.00
S1229	RIS 700 PW EKO 3.0*	3094.00
S1281	RIS 1200 PE 3.0 EKO 3.0	4621.00

Ref. No.	Type	£ excl. V.A.T.
S1202	RIS 1200 PE 6.0 EKO 3.0	4679.00
S1309	RIS 1200 PE 9.0 EKO 3.0	4717.00
S1175	RIS 1200 PW EKO 3.0*	4752.00
S1310	RIS 1900 PE 3.0 EKO 3.0	6243.00
S1147	RIS 1900 PE 6.0 EKO 3.0	6339.00
S1155	RIS 1900 PE 9.0 EKO 3.0	6433.00
S1221	RIS 1900 PW EKO 3.0*	6448.00
S1842	RIS 2200 HE EKO 3.0*	6455.00
S1831	RIS 2200 HW EKO 3.0*	6428.00
S1162	RIS 2500 PE 4.5 EKO 3.0	7257.00
S1311	RIS 2500 PE 9.0 EKO 3.0	7352.00
S1312	RIS 2500 PE 18.0 EKO 3.0	7447.00
S1159	RIS 2500 PW EKO 3.0*	7462.00
	RIS V EKO 3.0 Vertical EC Heat Recovery Unit Complete with Flex Controller	
S1195	RIS 700 V EKO 3.0	2935.00
S1317	RIS 700 VW EKO 3.0*	3043.00
S1230	RIS 1200 V EKO 3.0*	4086.00
S1231	RIS 1200 VW EKO 3.0*	4391.00
S1078	RIS 1900 V EKO 3.0	6051.00
S1318	RIS 1900 VW EKO 3.0*	6159.00
	Accessories	
S1194	Remote controller FLEX	235.00
S1809	Remote controller FLEX MCB	235.00
	RP RenoPipe EPS formed parts	
	Exterior angle – with plain profile	
3076	RP-AW Carton at 2 pcs	35.00
	– with stucco profile	
3078	RP-SAW Carton at 2 pcs	37.00
	Interior angle – with plain profile	
3075	RP-IW Carton at 2 pcs	35.00
	– with stucco profile	
3077	RP-SIW Carton at 2 pcs	37.00
	Duct piece, length 1 m – with plain profile	
3061	RP-K Carton at 4 pcs	117.00
	– with stucco profile	
3065	RP-SK Carton at 4 pcs	126.00
	T-piece – with plain profile	
3062	RP-T Carton at 4 pcs	89.00
	– with stucco profile	
3066	RP-ST Carton at 4 pcs	93.00
	Compact distribution box	
3048	RP-KVK 3-100/125 R	376.00
3038	RP-KVK 3-100/125 L	376.00
	Fastening clip	
3031	RP-BK (set = 5 pcs)	8.00
	Slitting saw	
3044	RP-FS	38.00

Ref. No.	Type	£ excl. V.A.T.
	Connector, End cap, Wall sleeve, Short connector with rubber lip-seal	
3030	RP-KV	8.00
	Rubber lip-seal	
3033	RP-LD (set = 10 pcs)	14.00
	Long connector set with rubber lip-seal and fastening clip	
3029	RP-LV	20.00
	End and inspection cap with rubber lip-seal	
3037	RP-RD	7.00
	Reduction	
3017	RP-RZ 125/100	11.00
	Miter box	
3036	RP-SH	51.00
	Wall sleeve with installation template	
3035	RP-WH	7.00
	RR / RRK.. Centrifugal in-line fans	
5653	RR 100 A	76.00
5654	RR 100 C	76.00
5655	RR 125 C	77.00
7740	RR 150 B	85.00
7741	RR 150 C	97.00
5656	RR 160 B	85.00
5657	RR 160 C	97.00
5658	RR 200 A	103.00
5659	RR 200 B	128.00
5652	RR 250 A	110.00
5660	RR 250 C	132.00
5920	RR 315 C	186.00
5889	RRK 180 Ex	628.00
5890	RRK 200 Ex	916.00
5891	RRK 250 Ex	1160.00
5973	RRK 100	89.00
5974	RRK 125	92.00
5976	RRK 160	96.00
5977	RRK 200	127.00
5978	RRK 250	143.00
5979	RRK 315	189.00
	RR EC EC-Centrifugal in-line fans 1 ph, 230 V	
5804	RR EC 100	211.00
5789	RR EC 125	245.00
5785	RR EC 160	245.00
6121	RR EC 200 A	247.00
5786	RR EC 200 B	260.00
6122	RR EC 250 A	254.00
5787	RR EC 250 B	317.00
5788	RR EC 315 A	432.00
6123	RR EC 315 B	492.00
	RS Isolating switches	
7536	RS 3+1+2 7,5	on request
6387	RS 3+1 7,5	46.00
6388	RS 6+1 7,5	58.00
6389	RS 6+1 11	67.00

Ref. No.	Type	£ excl. V.A.T.
RSD Flanged circular attenuator		
8734	RSD 225/300	99.00
8735	RSD 225/600	144.00
8736	RSD 225/900	202.00
8737	RSD 250/300	110.00
8738	RSD 250/600	162.00
8739	RSD 250/900	227.00
8740	RSD 280/400	132.00
8741	RSD 280/800	193.00
8742	RSD 280/1200	276.00
8743	RSD 315/400	137.00
8744	RSD 315/800	207.00
8745	RSD 315/1200	282.00
8746	RSD 355/400	151.00
8747	RSD 355/800	221.00
8748	RSD 355/1200	293.00
8749	RSD 400/400	163.00
8750	RSD 400/800	237.00
8751	RSD 400/1200	312.00
8752	RSD 450/400	183.00
8753	RSD 450/800	276.00
8754	RSD 450/1200	364.00
8755	RSD 500/600	218.00
8756	RSD 500/900	211.00
8757	RSD 500/1200	405.00
8758	RSD 560/600	294.00
8759	RSD 560/1200	442.00
8760	RSD 630/600	318.00
8761	RSD 630/1200	468.00
RSD Ø 710 – 1000 mm		on request
RSK.. Back draught shutter		
5106	RSKK 100	20.00
5107	RSKK 125	25.00
5073	RSK 150	32.00
5669	RSK 160	32.00
5662	RSK 180	35.00
5074	RSK 200	35.00
5673	RSK 250	37.00
5674	RSK 315	48.00
5650	RSK 355	60.00
5651	RSK 400	80.00
RVB Duct connector		
5993	RVB 80	7.00
5994	RVB 100	7.00
5995	RVB 125	8.00
5987	RVB 160	8.00
5997	RVB 200	11.00
5998	RVB 250	13.00
5999	RVB 315	13.00
5991	RVB 355	17.00
5992	RVB 400	17.00
RVBD Connector with seal – to connect to KWL-unit		
3414	RVBD 125 K	8.00
3415	RVBD 160 K	12.00
9589	RVBD 180/160	18.00

Ref. No.	Type	£ excl. V.A.T.
RVE In-duct back draught shutter, air tight		
2584	RVE 80	14.00
2587	RVE 100	24.00
2588	RVE 125	26.00
2589	RVE 160	30.00
2618	RVE 200	35.00
RVK Manual grille		
0766	RVK 200	88.00
0767	RVK 250	99.00
0768	RVK 315	111.00
0769	RVK 355	130.00
0770	RVK 400	148.00
0771	RVK 450	192.00
0772	RVK 500	211.00
RVM Back draught shutter		
2575	RVM 225	456.00
2576	RVM 250	458.00
2577	RVM 280	464.00
2578	RVM 315	473.00
2579	RVM 355	480.00
2580	RVM 400	491.00
2581	RVM 450	513.00
2582	RVM 500	540.00
2583	RVM 560	564.00
2609	RVM 630	613.00
RVM Ø 710 – 1000 mm		on request
RVS Back draught shutter		
2591	RVS 225	72.00
2592	RVS 250	81.00
2593	RVS 280	90.00
2594	RVS 315	92.00
2595	RVS 355	119.00
2596	RVS 400	129.00
2597	RVS 450	137.00
2598	RVS 500	162.00
2599	RVS 560	174.00
2600	RVS 630	197.00
RVS Ø 710 – 1000 mm		on request
RZ Duct reducer		
5223	RZ 100/80	11.00
5222	RZ 125/100	17.00
5729	RZ 160/125	28.00
7684	RZ 160/150	28.00
5877	RZ 180/100 (for RRK... Ex)	29.00
5876	RZ 180/125 (for RRK... Ex)	29.00
5710	RZ 200/160	34.00
SA / SU Three speed slide switch		
4267	SA-3 10	66.00
4266	SU-3 10	57.00
SB Ladder strip		
1385	SB 50/2	9.00
1386	SB 50/3	11.00
1387	SB 50/4	13.00

Ref. No.	Type	£ excl. V.A.T.
SB SilentBox® centrifugal fans acoustically lined		
9506	SB 125 A	280.00
9562	SB 125 C	299.00
9508	SB 160 B	303.00
9563	SB 160 D	312.00
9510	SB 200 C	370.00
9564	SB 200 D	428.00
9512	SB 250 C	445.00
9565	SB 250 E	537.00
SB EC SilentBox® Acoustic Line EC-Centrifugal in-line fan 1 ph, 230 V		
6132	SB EC 125 A	407.00
9624	SB EC 125 B	526.00
6136	SB EC 160 A	434.00
9625	SB EC 160 B	550.00
6138	SB EC 200 A	571.00
9626	SB EC 200 B	691.00
9627	SB EC 250	886.00
6157	SB EC 315 A	1241.00
9628	SB EC 315 B	1654.00
6139	SB EC 355	1455.00
6140	SB EC 400 A	1611.00
9629	SB EC 400 B	2064.00
SCH Worm drive clips		
5722	SCH 80/100 (10 pcs.)	18.00
5723	SCH 125/160 (10 pcs.)	20.00
5724	SCH 200 (10 pcs.)	24.00
5725	SCH 250 (10 pcs.)	29.00
5727	SCH 315/355 (10 pcs.)	33.00
5728	SCH 400 (10 pcs.)	42.00
SDD Anti vibration mounts		
1452	SDD 1 (4 pcs.)	34.00
1453	SDD 2 (4 pcs.)	51.00
1367	SDD 3 (4 pcs.)	166.00
Types for higher load		on request
SDD-U Anti vibration mounts		
5627	SDD-U (4 pcs.)	38.00
SDE Exhaust box, elasticated		
0789	SDE 125	54.00
0790	SDE 160	61.00
SDH Pitched roof outlet		
1476	SDH	71.00
SDS Pitched roof foot for profile and tile roofs. Roof pitch till 45°.		
		on request
SDZ Anti vibration mounts		
1454	SDZ 1 (4 pcs.)	55.00
1455	SDZ 2 (4 pcs.)	85.00
1366	SDZ 3 (4 pcs.)	187.00
Types for higher load		on request

Ref. No.	Type	£ excl. V.A.T.
	SEWT Ground-to-brine heat exchanger	
2564	SEWT-kit	2674.00
	Undersoil hose set with flexible undersoil hose, screw connections, ethylene glycol	
2567	SEWT-E	484.00
	Hydraulic unit with control unit	
2566	SEWT-H	1017.00
	Brine-to-air heat exchanger with integrated filter	
2565	SEWT-W	1235.00
	SG Guard for flange connection (for HRF/VAR)	
1216	SG 200	17.00
1215	SG 225	20.00
1236	SG 250	21.00
1428	SG 280	24.00
1237	SG 315	24.00
1238	SG 355	29.00
1239	SG 400	33.00
1240	SG 450	36.00
1241	SG 500	42.00
1242	SG 560	50.00
1243	SG 630	62.00
1244	SG 710	82.00
1245	SG 800	93.00
1246	SG 900	117.00
1290	SG 1000	149.00
	SGR Guard for spigot connection for RR	
5063	SGR 100	8.00
5064	SGR 125	11.00
5069	SGR 160	11.00
5051	SGR 180 Ex (for RRK.. Ex)	13.00
5066	SGR 200	11.00
5049	SGR 200 Ex (for RRK.. Ex)	17.00
5067	SGR 250	13.00
5052	SGR 250 Ex (for RRK.. Ex)	17.00
5068	SGR 315	17.00
	SKRD/SKRW InlineVent® – rectangular fan acoustically lined with backward curved impeller	
8181	SKRD 355/4/60/35	1253.00
8196	SKRD 450/4/70/40	1555.00
8197	SKRD 500/6/70/40	1547.00
8198	SKRD 500/4/80/50	2356.00
8199	SKRD 560/6/80/50	1961.00
8681	SKRW 355/4/60/35	1490.00
6143	SKRW 400/4/70/40	1260.00
	SKRD/SKRW EC InlineVent® – EC-rectangular fan acoustically lined 3 ph, 400 V	
8296	SKRD EC 355/60/40	2339.00
8297	SKRD EC 400/60/35	2367.00
8178	SKRD EC 450/70/40 A	2637.00

Ref. No.	Type	£ excl. V.A.T.
8299	SKRD EC 500/80/50 A	3088.00
8179	SKRD EC 500/80/50 B	3684.00
6130	SKRD EC 560/100/50 A	3132.00
8180	SKRD EC 560/100/50 B	4106.00
	1 ph, 230 V	
8182	SKRW EC 315/50/25	1557.00
7588	SKRW EC 315/50/25 A	920.00
8176	SKRW EC 355/60/30	2149.00
8177	SKRW EC 400/60/35	2406.00
6129	SKRW EC 450/70/40	2503.00
	SMARTY High Efficiency counter flow heat recovery unit	
S1622	SMARTY 2XP 1.2	1213.00
S1460	SMARTY 3XP 1.2	1329.00
S1629	SMARTY 2XV 1.2	1088.00
S1630	SMARTY 3XV 1.2	1330.00
S1158	S TOUCH	88.00
	SRSD Spigotted circular attenuator	
S8902	SRSD 100/600	72.00
S8906	SRSD 125/600	92.00
S8910	SRSD 150/600	93.00
S8914	SRSD 160/600	97.00
S8918	SRSD 200/600	101.00
S8922	SRSD 250/600	120.00
S8926	SRSD 315/600	143.00
S135	SRSD 355/600	165.00
S8930	SRSD 400/600	175.00
8931	SRSD 400/900	223.00
	SSD Base attenuator, hingeable	
5289	SSD 180 (with hinge mechanism)	446.00
5290	SSD 200 (with hinge mechanism)	532.00
5290	SSD 225 (with hinge mechanism)	532.00
5292	SSD 250 (with hinge mechanism)	670.00
5292	SSD 315 (with hinge mechanism)	670.00
5291	SSD 400 (with hinge mechanism)	793.00
5288	SSD 450 (with hinge mechanism)	991.00
5017	SSD 500	1314.00
5017	SSD 560/630	1314.00
5287	SSD 710	3059.00
	STH Electric fan heater	
2520	STH 3	211.00
2521	STH 5	281.00
2522	STH 9 T	411.00
2523	STH 15 T	659.00
	STM Servo motor for dampers JVK	
8791	STM 10 230 V	102.00
1075	STM 10 24 V 2P	183.00
1093	STM 20 24 V 2P	237.00
8794	STM 10 2P	51.00
	STS Flanged flexible connector	
1217	STS 180	35.00
1219	STS 200	42.00
1218	STS 225	48.00
2500	STS 225 Ex	55.00
1220	STS 250	53.00
2501	STS 250 Ex	55.00

Ref. No.	Type	£ excl. V.A.T.
1231	STS 280	58.00
2502	STS 280 Ex	61.00
1221	STS 315	74.00
2503	STS 315 Ex	80.00
1222	STS 355	77.00
2504	STS 355 Ex	84.00
1223	STS 400	88.00
2505	STS 400 Ex	93.00
1224	STS 450	97.00
2506	STS 450 Ex	104.00
1225	STS 500	106.00
2507	STS 500 Ex	118.00
1226	STS 560	129.00
2508	STS 560 Ex	134.00
1228	STS 630	154.00
2509	STS 630 Ex	165.00
1229	STS 710	221.00
2510	STS 710 Ex	245.00
	STSSD / STSSW Five step control for TSSD / TSSW	
0235	STSSD 3 ph., 400 V	77.00
0234	STSSW 1 ph., 230 V	51.00
	STV.. Connector assembly (for roof hood DH)	
2026	STV 100	21.00
2027	STV 125	26.00
2028	STV 160	33.00
	SV.. SlimVent Slim centrifugal fan box – forward curved	
2660	SVW 80	186.00
	– backward curved	
2658	SVR 100 C	148.00
2671	SVR 125 B	164.00
2672	SVR 160 K	169.00
2673	SVR 200 K	272.00
	– sound insulated	
0130	SVS 125 B	195.00
0131	SVS 160 K	208.00
2653	SVS 160 L	235.00
0132	SVS 200 K	279.00
	SV EC SlimVent EC-Centrifugal fan 1 ph, 230 V	
6124	SVR EC 100	349.00
2531	SVR EC 125	392.00
2535	SVR EC 160 A	392.00
2543	SVR EC 160 B	405.00
2539	SVR EC 200	434.00
2294	SVR EC 250	444.00
2669	SVR EC 315	552.00
	1 ph 230 V acoustically lined,	
0016	SVS EC 125	439.00
0017	SVS EC 160 A	473.00
0018	SVS EC 160 B	495.00
0019	SVS EC 200	500.00
6125	SVS EC 250	666.00
6126	SVS EC 315	869.00

Ref. No.	Type	£ excl. V.A.T.	Ref. No.	Type	£ excl. V.A.T.	Ref. No.	Type	£ excl. V.A.T.
	SVE Insert element to control airflow volume and reduce sound		6516	TSSD 1 (2 pcs.)	122.00	6689	VARD 400/6	960.00
8309	SVE 80	6.00	6517	TSSD 2 (2 pcs.)	153.00	6690	VARD 400/4	999.00
8310	SVE 100	6.00	6518	TSSD 4 (2 pcs.)	218.00	6691	VARD 400/2/2	1818.00
8311	SVE 125	8.00	6519	TSSD 7 (2 pcs.)	281.00	6782	VARD 400/4/2	2321.00
8312	SVE 160	8.00	6515	TSSD 11 (2 pcs.)	429.00	6692	VARD 400/6 Ex	1242.00
8313	SVE 200	13.00		TSW / TSSW Transformer controllers 1 ph, 230 V		6693	VARD 400/4 Ex	1321.00
8314	SVE 250	36.00	6520	TSSW 1,5	63.00	6694	VARD 400/2 Ex	2576.00
8315	SVE 315	55.00	6521	TSSW 3	81.00	6696	VARD 450/6	1461.00
	SWE Air flow switch		6522	TSSW 5	89.00	6698	VARD 450/2	2254.00
0065	SWE	168.00	6523	TSSW 10	143.00	6697	VARD 450/4/4	1274.00
	SWT Air flow switch		3608	TSW 0,3	48.00	6699	VARD 450/6 Ex	1532.00
0080	SWT	129.00	1495	TSW 1,5	105.00	6700	VARD 450/4 Ex	1828.00
	TCW Time clock		1496	TSW 3,0	122.00	6701	VARD 450/2 Ex	3189.00
S262	TCW 24 (24 hour time clock)	85.00	1497	TSW 5,0	192.00			
S309	TCW 7 (7 day time clock)	125.00	1596	TSW 7,5	238.00	6703	VARD 500/6	1595.00
	TFK Duct temperature sensor (for EHS..)		1498	TSW 10	319.00	6705	VARD 500/2	3172.00
5005	TFK	51.00	S1567	TSW 11	250.00	6704	VARD 500/4/4	1387.00
5009	TFKB	45.00	S1683	TSW 14	270.00	6706	VARD 500/6 Ex	1870.00
	TFR Room temperature sensor (for EHS..)			TWH Telescopic wall sleeves (for HR., HVR., M1/..)		6707	VARD 500/4 Ex	1924.00
5006	TFR	111.00	6352	TWH 90/100	12.00	6708	VARD 500/2 Ex	4094.00
	TFR-ALB Room temperature sensor (for ALB.. EH)		6353	TWH 120	25.00	6711	VARD 560/4/4	1713.00
2761	TFR-ALB	117.00	6354	TWH 150	36.00	6790	VARD 560/8/4	2658.00
	TH Electric fan heaters			UDP Universal roofing tile (for roof hood DH) R = brick-red; S = black		6712	VARD 560/8 Ex	2127.00
2524	TH 22 T	1498.00	2020	UDP 100 R	85.00	6713	VARD 560/6 Ex	2185.00
	TME Thermostats		2021	UDP 100 S	85.00	6714	VARD 560/4 Ex	2440.00
1334	TME 1 (single-step)	56.00	2020	UDP 125 R	85.00			
1335	TME 4 (four-step)	89.00	2021	UDP 125 S	85.00	6717	VARD 630/4	2529.00
	TMK Telescopic wall kit + plate		2021	UDP 125 S	85.00	6792	VARD 630/8/4	3062.00
0844	TMK 100	36.00	2023	UDP 160 S	133.00	6718	VARD 630/8 Ex	2254.00
0845	TMK 125/150	55.00		VARD Cased mixed flow fans, 3 ph, 400 V		6719	VARD 630/6 Ex	2608.00
	TS T-pieces		6662	VARD 225/4	492.00	6720	VARD 630/4 Ex	3327.00
1479	TS 100	25.00	6663	VARD 225/2	507.00			
5720	TS 125	34.00	6771	VARD 225/4/2	585.00	VARW Cased mixed flow fans, 1 ph, 230 V		
5805	TS 160	39.00	6664	VARD 225/4 Ex	746.00	6660	VARW 225/4	501.00
	TSD / TSSD Transformer controllers 3 ph, 400 V		6665	VARD 225/2 Ex	746.00	6661	VARW 225/2	499.00
1500	TSD 0,8	209.00	6668	VARD 250/4	508.00	6733	VARW 225/4 Ex	1014.00
1501	TSD 1,5	233.00	6669	VARD 250/2	536.00	6734	VARW 225/2 Ex	1031.00
1502	TSD 3,0	278.00	6773	VARD 250/4/2	599.00			
1503	TSD 5,5	403.00	6670	VARD 250/4 Ex	726.00	6666	VARW 250/4	531.00
1504	TSD 7,0	534.00	6671	VARD 250/2 Ex	711.00	6667	VARW 250/2	559.00
1513	TSD 11	840.00	6673	VARD 280/4	515.00	6735	VARW 250/4 Ex	1063.00
			6674	VARD 280/2	629.00	6672	VARW 280/4	572.00
			6675	VARD 280/4 Ex	794.00	6659	VARW 280/2	648.00
			6676	VARD 280/2 Ex	840.00	6737	VARW 280/4 Ex	1160.00
						6677	VARW 315/4	559.00
			6678	VARD 315/4	550.00	6738	VARW 315/4 Ex	1210.00
			6679	VARD 315/2/2	921.00	6682	VARW 355/4	699.00
			6777	VARD 315/4/2	1033.00	6688	VARW 400/4	1045.00
			6680	VARD 315/4 Ex	796.00	6736	VARW 450/4	1266.00
			6681	VARD 315/2 Ex	1176.00	6739	VARW 500/4	1387.00
			6683	VARD 355/4	659.00			
			6684	VARD 355/2/2	1078.00	VC Vertical jet roof cowls add fan price to make complete powered unit		
			6779	VARD 355/4/2	1491.00	7745	VC 355	403.00
			6685	VARD 355/4 Ex	878.00	7746	VC 400/450	460.00
			6686	VARD 355/2 Ex	1562.00	7747	VC 500/560	581.00
						7748	VC 630/710	711.00
						VDD / VDW Mixed flow roof fans vertical discharge 3 ph, 400 V		
						7178	VDD 200/4 Ex	695.00
						7237	VDD 225/4 Ex	716.00
						7265	VDD 250/4 Ex	750.00

Ref. No.	Type	£ excl. V.A.T.
7282	VDD 315/4	666.00
7315	VDD 315/4 T120	1227.00
7293	VDD 315/4 Ex	1062.00
7318	VDD 355/4	736.00
7336	VDD 355/4 T120	1551.00
7327	VDD 355/4 Ex	1233.00
7343	VDD 400/6	832.00
7342	VDD 400/4	888.00
7366	VDD 400/6 T120	1662.00
7370	VDD 400/4 T120	1597.00
7359	VDD 400/6 Ex	1280.00
7353	VDD 400/4 Ex	1465.00
7380	VDD 450/6	1082.00
7379	VDD 450/4	1187.00
7399	VDD 450/6 T120	1847.00
7398	VDD 450/4 T120	1727.00
7387	VDD 450/6 Ex	1650.00
7386	VDD 450/4 Ex	1734.00
7402	VDD 500/6	1258.00
7401	VDD 500/4	1338.00
7419	VDD 500/6 T120	2048.00
7412	VDD 500/6 Ex	1754.00
7413	VDD 500/4 Ex	2039.00
7422	VDD 560/6	1655.00
7420	VDD 560/4	1822.00
7439	VDD 560/6 T120	2276.00
7436	VDD 560/4 T120	2495.00
7430	VDD 560/6 Ex	2245.00
7441	VDD 630/6	2016.00
7456	VDD 630/6 T120	2952.00
7448	VDD 630/6 Ex	2799.00
7458	VDD 710/6	2688.00
7466	VDD 710/6 T120	3855.00
	1 ph, 230 V	
7120	VDW 180/2	244.00
7134	VDW 200/4	351.00
7126	VDW 200/2	328.00
7221	VDW 225/4	382.00
7196	VDW 225/2	410.00
7244	VDW 250/4	410.00
7279	VDW 315/4	666.00
7317	VDW 355/4	678.00
7338	VDW 400/4	886.00
7372	VDW 450/4	1111.00
	VEKA INT EKO Supply Air Handling Unit Complete with FLEX controls as standard	
S1119	VEKA INT 400/1.2-L1 EKO	1465.00
S1031	VEKA INT 400/2.0-L1 EKO	1577.00
S957	VEKA INT 400/5.0-L1 EKO	1594.00
S1120	VEKA INT 700/2.4-L1 EKO	1566.00
S1121	VEKA INT 700/5.0-L1 EKO	1714.00
S1122	VEKA INT 700/9.0-L1 EKO	1750.00
S1123	VEKA INT 1000/2.4-L1 EKO	1700.00
S916	VEKA INT 1000/5.0-L1 EKO	1770.00
S1124	VEKA INT 1000/9.0-L1 EKO	1828.00
S1125	VEKA INT 1000/12.0-L1 EKO	2027.00
S1126	VEKA INT 2000/6.0-L1 EKO	2284.00
S956	VEKA INT 2000/15.0-L1 EKO	2508.00
S798	VEKA INT 2000/21.0-L1 EKO	2672.00
S1127	VEKA INT 3000/15.0-L1 EKO	3367.00
S1128	VEKA INT 3000/21.0-L1 EKO	3436.00
S1129	VEKA INT 3000/30.0-L1 EKO	3593.00
S1130	VEKA INT 3000/39.0-L1 EKO	3788.00

Ref. No.	Type	£ excl. V.A.T.
S1238	VEKA INT 4000/21-L1 EKO	3716.00
S1299	VEKA INT 4000/27-L1 EKO	3889.00
S1300	VEKA INT 4000/39-L1 EKO	4107.00
S1301	VEKA INT 4000/54-L1 EKO	4173.00
S1025	VEKA INT W 1000/14.4-L1 EKO	1843.00
S1240	VEKA INT W 2000/26.9-L1 EKO	2846.00
S1131	VEKA INT W 3000/40.6-L1 EKO	3203.00
S1239	VEKA INT W 4000/54-L1 EKO	3389.00
	VEKA Supply Air Unit	
	VEKA	on request
	VFE Attachment filter element	
2552	VFE 70	62.00
2553	VFE 90	71.00
	VH Extension tube	
1349	VH 200	25.00
1343	VH 250	32.00
1344	VH 315	38.00
1345	VH 355	43.00
1346	VH 400	51.00
1348	VH 500	56.00
	VK Gravity shutter	
0757	VK 100	7.00
0765	VK 100 B (brown)	7.00
0885	VK 100 VE (24 pcs.)	179.00
0857	VK 125	11.00
0705	VK 125 B (brown)	11.00
0892	VK 160	20.00
0758	VK 200	33.00
0759	VK 250	34.00
0760	VK 315	35.00
0761	VK 355	42.00
0762	VK 400	51.00
0763	VK 450	60.00
0764	VK 500	71.00
0836	VK 630	120.00
0838	VK 710	200.00
0839	VK 800	249.00
0841	VK 900	334.00
0735	VK 30/15	53.00
0874	VK 40/20	63.00
0875	VK 50/25	77.00
0876	VK 50/30	88.00
0877	VK 60/30	99.00
0878	VK 60/35	105.00
0879	VK 70/40	134.00
0880	VK 80/50	152.00
0881	VK 100/50	168.00
	VKH Constant air flow volume controller – with adjustable flow rate	
0001	VKH 80/15-50	23.00
0002	VKH 100/15-50	23.00
0003	VKH 100/50-100	24.00
0004	VKH 125/15-50	26.00
0005	VKH 125/50-100	26.00
0006	VKH 125/100-180	26.00
0007	VKH 150-160/50-100	40.00
0008	VKH 150-160/100-180	40.00
0009	VKH 150-160/180-300	40.00

Ref. No.	Type	£ excl. V.A.T.
0010	VKH 200/100-180	54.00
0011	VKH 200/180-300	54.00
0012	VKH 200/300-500	54.00
0013	VKH 250/180-300	69.00
0014	VKH 250/300-500	69.00
0015	VKH 250/500-700	69.00
	VR Extension flanged casing	
1401	VR 225	39.00
1402	VR 250	43.00
1403	VR 280	48.00
1404	VR 315	55.00
1405	VR 355	61.00
1406	VR 400	81.00
1407	VR 450	97.00
1408	VR 500	114.00
1409	VR 560	153.00
1410	VR 630	179.00
1411	VR 710	252.00
1412	VR 800	295.00
1311	VR 900	333.00
1312	VR 1000	349.00
	VS Rectangular flexible connector	
6928	VS 30/15	74.00
5694	VS 40/20	84.00
5695	VS 50/25	89.00
5696	VS 50/30	89.00
5697	VS 60/30	97.00
5698	VS 60/35	97.00
5699	VS 70/40	104.00
5700	VS 80/50	114.00
5701	VS 100/50	122.00
	– for explosion proof	
0265	VS 50/25 Ex	98.00
0266	VS 50/30 Ex	103.00
0267	VS 60/30 Ex	105.00
0268	VS 60/35 Ex	110.00
0269	VS 70/40 Ex	118.00
	WDS Soaker sheet	
1559	WDS 180	852.00
1560	WDS 200/225	852.00
1561	WDS 250/315	852.00
1562	WDS 400	783.00
1563	WDS 450	1242.00
1564	WDS 500/560/630	1420.00
	WER Wall liner	
0368	WER 200	17.00
0369	WER 225/250	18.00
0469	WER 300	29.00
	WES Wall kit	
0717	WES 90/100	13.00
0486	WES 120	17.00
0537	WES 150	25.00
	WHR Water heater battery	
8782	WHR 2/40/20	218.00
8783	WES 4/40/20	260.00
8784	WHR 2/50/25-30	271.00

Ref. No.	Type	£ excl. V.A.T.	Ref. No.	Type	£ excl. V.A.T.	Ref. No.	Type	£ excl. V.A.T.
8785	WHR 4/50/25-30	355.00		WS			Z..	
8786	WHR 2/60/30-35	303.00		Reversing switch			Overrun timer	
8787	WHR 4/60/30-35	218.00	1271	WS	50.00	0342	ZNE	38.00
8788	WHR 2/70/40	400.00				0343	ZNI	43.00
8789	WHR 4/70/40	582.00		WSG		1277	ZT	27.00
8795	WHR 2/80/50	557.00		External louvre		1279	ZV	53.00
8796	WHR 4/80/50	750.00		- rectangular				
8797	WHR 2/100/50	613.00	0108	WSG 30/15	71.00		ZAV	
8798	WHR 4/100/50	847.00	0109	WSG 40/20	80.00	3079	ZAV 80	14.00
			0110	WSG 50/25	119.00	3080	ZAV 125	21.00
	WHR		0111	WSG 50/30	130.00			
	Water heater battery		0112	WSG 60/30	135.00		ZEB	
	for circular ducting		0113	WSG 60/35	151.00		Central ventilation box	
9479	WHR 100	216.00	0114	WSG 70/40	167.00	1456	ZEB 380	255.00
9480	WHR 125	223.00	0115	WSG 80/50	218.00	1457	ZEB EC	460.00
9481	WHR 160	286.00	0116	WSG 100/50	245.00			
9482	WHR 200	316.00					ZLA	
9483	WHR 250	356.00		- square			Automatic passive ventilation	
9484	WHR 315	470.00	0117	WSG 200	62.00	0214	ZLA 80	98.00
8790	WHR 355	534.00	0118	WSG 250	70.00	0215	ZLA 100	118.00
9524	WHR 400	557.00	0119	WSG 315	77.00	0216	ZLA 160	165.00
			0120	WSG 355	98.00			
	WHS		0121	WSG 400	122.00		ZLE	
	Temperatur control system		0122	WSG 450	146.00		Manual passive ventilation	
	for LPHW heater batteries		0123	WSG 500	171.00	0079	ZLE 100	54.00
8319	WHS HE ¹⁾	1150.00	0124	WSG 630	218.00			
			0125	WSG 710	275.00		ZLS	
							for EC-Roof fans DV EC	
	WHS			WSUP		8391	ZLS-IF	265.00
	Hydraulic unit			Clock timer		8388	ZLS-ZU 31	578.00
	(for ALB..WW)							
8316	WHS HE 230 V	701.00	9990	WSUP	195.00		ZTV	
			9577	WSUP-S	181.00		Thermostatic supply valve	
						0078	ZTV 80	71.00
	WHS			WX		0073	ZTV 100	85.00
	Hydraulic unit			Wall fans		0074	ZTV 160	103.00
8318	WHS HE 24 V (0-10)	719.00	1700	WX 150	163.00			
8317	WHS HE 24 V	722.00	1701	WX 225	237.00			
			1702	WX 300	353.00			
	WHST							
8817	WHST 300 T38 ²⁾	202.00						
8820	WHS 300 T50 ²⁾	216.00						